

GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: Bagaza Virus (BAGV)

Bagaza Virus (BAGV)

KingdomPhylumClassOrderFamilyVirusFlaviviridae

Common name BAGV (English)

Synonym

Similar species

Summary The flavivirus, Bagaza virus (BAGV) was first isolated in Bagaza, Central

African Republic, in 1966, from a pool of mixed-species female Culex spp. mosquitoes. It has subsequently been found in mosquitoes in other countries in western Africa and in India, where serologic evidence suggests that this virus may infect humans. In late 2010 an unusually high number of deaths of wild birds (partridges and phesants) in Cadiz in southwestern Spain was attributed to the Bagaza Virus through a detection study. The authors of the study suggest that- although there is no evidence, it is possible that infected birds migrating between Africa and Europe could have introduced the BAGV to Spain; other explanations put forth by the authors include possible

introduction through the poultry industry or trading of exotic birds for

commercial or hunting purposes.

view this species on IUCN Red List

General Impacts

High number of red-legged partridges (*Alectoris rufa*) deaths were recorded on several hunting properties in southwestern Cádiz, Spain during late 2010. Some common pheasants\r\n(*Phasianus colchicus*) were also affected. Clinical signs included weakness, prostration, lack of motor coordination, weight loss, and white diarrhea (Aguero *et al* 2010).

Management Info

bbb

Principal source:

Compiler: IUCN SSC Invasive Species Specialist Group

Review:

Pubblication date: 2011-08-05

ALIEN RANGE

[1] INDIA [1] SPAIN

Red List assessed species 1: LC = 1;

Alectoris rufa LC

System: Terrestrial



GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: Bagaza Virus (BAGV)

BIBLIOGRAPHY

7 references found for Bagaza Virus (BAGV)

Managment information

Agüero M, Fernández-Pinero J, Buitrago D, Sánchez A, Elizalde M, San Miguel E, Villalba R, Llorente F, and Jiménez-Clavero M. A., 2010. Bagaza virus in partridges and pheasants, Spain, 2010. Emerg Infect Dis [serial on the internet]

Summary: Available from: http://www.cdc.gov/eid/content/17/8/pdfs/110077.pdf [Accessed 5 August 2011]

General information

BirdLife International 2009. Alectoris rufa. In: IUCN 2011. IUCN Red List of Threatened Species. Version 2011.1.

Summary: Available from: http://www.iucnredlist.org/apps/redlist/details/141221/0 [Accessed 5 August 2011] BirdLife International 2009. *Phasianus colchicus*. In: IUCN 2011. IUCN Red List of Threatened Species. Version 2011.1.

Summary: Available from: http://www.iucnredlist.org/apps/redlist/details/141344/0 [Accessed 5 August 2011]

Bondre V. P, Sapkal G. N, Yergolkar P. N, Fulmali P. V, Sankararaman V, Ayachit V. M, Mishra A. C, Gore M. M., 2009. Genetic characterization of Bagaza virus (BAGV) isolated in India and evidence of anti-BAGV antibodies in sera collected from encephalitis patients. J Gen Virol. 2009; 90:2644 99.

Traore-Lamizana, Moumouni; Fontenille, Didier; Diallo, Mawlouth; Ba, Yamar; Zeller, Herve G.; Mondo, Mireille; Adam, Francois; Thonon, Jocelyn; Maiga, Abdourahmane, 2001. Arbovirus surveillance from 1990 to 1995 in the Barkedji area (Ferlo) of Senegal, a possible natural focus of Rift Valley fever virus. Journal of Medical Entomology. 38(4). July, 2001. 480-492.

Traore-Lamizana, Moumouni; Zeller, Herve G.; Mondo, Mireille; Hervy, Jean-Paul; Adam, Francois; Digoutte, Jean-Pierre, 1994. Isolations of West Nile and Bagaza viruses from mosquitoes (Diptera: Culicidae) in central Senegal (Ferlo). Journal of Medical Entomology. 31(6). 1994. 934-938.

UniProt, 2011. Bagaza virus

Summary: Available from: http://www.uniprot.org/taxonomy/64290 [Accessed 5 August 2011]