

Faxonius limosus

System: Freshwater

Kingdom	Phylum	Class	Order	Family
Animalia	Arthropoda	Malacostraca	Decapoda	Cambaridae

Common name Spiny-cheek Crayfish (English)

Synonym *Cambarus pealei* ,Girard, 1852
Astacus affinis ,Say, 1817
Orconectes limosus ,(Rafinesque, 1817)
Astacus limosus ,Rafinesque, 1817

Similar species

Summary Spiny-cheek crayfish (*Faxonius limosus*) was intentionally introduced to Europe from the USA; the primary introduction was to Germany in 1890 and secondary introductions were made to Poland and France. It has now spread to over 20 countries in Europe. The reason for introduction was to replace the economically important noble crayfish, *Astacus astacus*, whose populations had dwindled to crayfish plague. However, spiny-cheek crayfish also acts as a vector for the plague. It has spread naturally through water courses. Other pathways of spread include due to its use as bait and fish food, and accidental introductions as a hitchhiker on crayfish nets.



[view this species on IUCN Red List](#)

Pathway

Principal source:

Compiler: Shyama Pagad (IUCN SSC Invasive Species Specialist Group)

Review:

Publication date:

ALIEN RANGE

- | | |
|------------------------|--------------------|
| [1] AUSTRIA | [1] BELARUS |
| [1] BELGIUM | [1] BULGARIA |
| [1] CROATIA | [1] CZECH REPUBLIC |
| [1] DENMARK | [1] ESTONIA |
| [1] FRANCE | [1] GERMANY |
| [1] HUNGARY | [1] ITALY |
| [1] LATVIA | [1] LITHUANIA |
| [1] LUXEMBOURG | [1] MONTENEGRO |
| [1] MOROCCO | [1] NETHERLANDS |
| [1] POLAND | [1] ROMANIA |
| [1] RUSSIAN FEDERATION | [1] SERBIA |
| [1] SLOVAKIA | [1] SLOVENIA |

[1] SPAIN
[1] UKRAINE

[1] SWITZERLAND
[1] UNITED KINGDOM

Red List assessed species 4: EN = 1; VU = 1; DD = 1; LC = 1;

[Astacus astacus](#) **VU**

[Austropotamobius torrentium](#) **DD**

[Austropotamobius pallipes](#) **EN**

[Pontastacus leptodactylus](#) **LC**

BIBLIOGRAPHY

33 references found for *Faxonius limosus*

Management information

Bonelli M., Manenti R., Scaccini D. (2017) Mountain protected areas as refuges for threatened freshwater species: the detrimental effect of the direct introduction of alien species. *Eco Mont - Journal on Protected Mountain Areas Research* 9, 23-29.

Đuriš Z., Horká I., Kristian J., Kozák P. (2006) SOME CASES OF MACRO-EPIBIOSIS ON THE INVASIVE CRAYFISH ORCONECTES LIMOSUS IN THE CZECH REPUBLIC. *Bull. Fr. Pêche Piscic.* 380-381, 1325-1337.

Hirsch, Philipp & Fischer, Philipp. (2008). Interactions between native juvenile burbot (*Lota lota*) and the invasive spinycheek crayfish (*Orconectes limosus*) in a large European lake. *Publ. in: Canadian Journal of Fisheries and Aquatic Sciences* 65 (2008), 12, pp. 2636-2643. 65. 10.1139/F08-162.

Kozubíková-Balcarová E., Beran L., Ďuriš Z., Fischer D., Horká I., Svobodová J., Petrušek A. (2014) Status and recovery of indigenous crayfish populations after recent crayfish plague outbreaks in the Czech Republic. *Ethology, Ecology & Evolution* 26, 299-319.

Lele S.-F. & Pârvolescu L. (2017) Experimental evidence of the successful invader *Orconectes limosus* outcompeting the native *Astacus leptodactylus* in acquiring shelter and food. *Biologia* 72, 877-885.

Pacioglu, O., Theissinger, K., Alexa, A. et al. [Multifaceted implications of the competition between native and invasive crayfish: a glimmer of hope for the native's long-term survival. *Biol Invasions* 22, 827-842 \(2020\). <https://doi.org/10.1007/s10530-019-02136-0>](#)

Pârvolescu L., Schrimpf A., Kozubíková E., Cabanillas Resino S., Vrâlstad T., Petrušek A., Schulz R. (2012) Invasive crayfish and crayfish plague on the move: first detection of the plague agent *Aphanomyces astaci* in the Romanian Danube. *Diseases of Aquatic Organisms* 17, 85-94.

Šidagytė-Copilas, Eglė & Razlutskiy, Vladimir & Alekhovich, Anatolij & Rybakovas, Aleksandras & Moroz, Mikhail & Šniaukštaitė, Viktorė & Vaitonis, Gintautas & Arbačiauskas, Kęstutis. (2017). Predatory diet and potential effects of *Orconectes limosus* on river macroinvertebrate assemblages of the southeastern Baltic Sea basin: implications for ecological assessment. *Aquatic Invasions*. 12. 523-540. 10.3391/ai.2017.12.4.09.

General information

Alekhovich, A. V.; Ablov, S. E.; Kulesh, V. F.; Pareiko, O. A. The American spiny-cheek crayfish, *Orconectes limosus* in the fauna of Belarus. In: Gherardi F, Holdich DM (eds), *Crayfish in Europe as alien species. How to make the best of a bad situation?* AA Balkema, Rotterdam, Brookfield. pp 237-242

[Aluma, Michael & Pukk, Lilian & Hurt, Margo & Kaldre, Katrin. \(2023\). Distribution of Non-Indigenous Crayfish Species in Estonia and Their Impacts on Noble Crayfish \(*Astacus astacus* L.\) Populations. *Diversity*. 15. 474. 10.3390/d15040474.](#)

[Boucher, N., A. Elgin, 2024. *Faxonius limosus*: U.S. Geological Survey, Nonindigenous Aquatic Species Database, Gainesville, FL, and NOAA Great Lakes Aquatic Nonindigenous Species Information System, Ann Arbor, MI, \[https://nas.er.usgs.gov/queries/greatlakes/FactSheet.aspx?Species_ID=3658&Potential=Y&Type=2\]\(https://nas.er.usgs.gov/queries/greatlakes/FactSheet.aspx?Species_ID=3658&Potential=Y&Type=2\)](#)

[Brink, F. W. B. Van Den.; Velde, G Van Der.; Geelen J. F. M. \(1988\) Life history parameters and temperature-related activity of an American crayfish, *Orconectes limosus* \(Rafinesque, 1917\) \(Crustacea, Decapoda\), in the area of the major rivers in The Netherlands. *Archives of Hydrobiology* 114\(2\)](#)

Burba, A. (2008). *Orconectes limosus* found along the Lithuanian Coastal zone of the Baltic Sea. *Crayfish NEWS, IAA Newsletter* 30(2): 6-7.

DUBOIS J-P., GILLET C., LAURENT P.J., 1999. Alien crayfish in Lake Geneva. *Freshwater Crayfish*, 12, 801-810.

[Francesca Pilotto, Gary Free, Giuseppe Crosa, Fabrizio Sena, Michela Ghiani, Ana Cristina Cardoso, The Invasive Crayfish *Orconectes limosus* in Lake Varese: Estimating Abundance and Population Size Structure in the Context of Habitat and Methodological Constraints, *Journal of Crustacean Biology*, Volume 28, Issue 4, 1 October 2008, Pages 633-640, <https://doi.org/10.1651/07-2967.1>](#)

Integrated Taxonomic Information System *Faxonius limosus*

Kozubíková E., Petrušek A., Ďuriš Z., Kozák P., Geiger S., Hoffmann R., Oidtmann B. (2006) THE CRAYFISH PLAGUE IN THE CZECH REPUBLIC - REVIEW OF RECENT SUSPECT CASES AND A PILOT DETECTION STUDY. *Bull. Fr. Pêche Piscic.* 380-381, 1313-1323.

Kozubíková E., Petrušek A., Ďuriš Z., Martín M.P., et al. (2008) The old menace is back: Recent crayfish plague outbreaks in the Czech Republic. *Aquaculture* 274, 208-217.

[Madzivanzira, T. C., South, J., Wood, L. E., Nunes, A. L., & Weyl, O. L. F. \(2020\). A review of freshwater crayfish introductions in Africa. *Reviews in Fisheries Science and Aquaculture*, 29\(2\), 218-241. <https://doi.org/10.1080/23308249.2020.1802405>](#)

[Pavlović, Slađan & Milošević, Slaviša & Borković, Slavica & Simić, V. & Paunović, Momir & Žikić, R. & Saičić, Zorica. \(2006\). A Report of *Orconectes \(Faxonius\) limosus* \(Rafinesque, 1817\) \[Crustacea: Decapoda: Astacidea: Cambaridae: Orconectes: Subgenus *Faxonius*\] in the Serbian Part of the River Danube. *Biotechnology and Biotechnological Equipment*. 20. 53-56. 10.1080/13102818.2006.10817304.](#)

Schulz R., & Śmietana P. (2001) Occurrence of native and introduced crayfish in Northeastern Germany and Northwestern Poland. *Bull. Fr. Pêche Piscic.* 361, 629 - 641.

Todorov, Milcho & Trichkova, Teodora & Hubenov, Zdravko & Jurajda, Pavel. (2020). *Faxonius limosus* (Rafinesque, 1817) (Decapoda: Cambaridae), a New Invasive Alien Species of European Union Concern in Bulgaria. *Acta Zoologica Bulgarica*. 72. 113-121.

[Alekhovich, Anatoly & Razlutskiy, Vladimir. \(2013\). Distribution and spread of spiny-cheek crayfish *Orconectes limosus* \(Rafinesque, 1817\) in Belarus. *BiolInvasions Records*. 2. 221-225. 10.3391/bir.2013.2.3.08.](#)

[Continental-wide distribution of crayfish species in Europe: update and maps. Knowledge and Management of Aquatic Ecosystems, \(413\), 05.](#)

Endrizzi S., Bruno M.C., Maiolini B. (2013) Distribution and morphometry of native and alien crayfish in Trentino (Italy). Journal of Limnology 72, 343-360.

Hesse A.-S., Mangot S. (2015) History of the propagation of *Orconectes limosus* in rivers of the Centre-Val de Loire region (France). Bulletin de la Société zoologique de France 140, 25-44.

Kaldre, Katrin & Paaver, Tiit & Hurt, Margo & Gross, Riho. (2020). Continuing expansion of non-indigenous crayfish species in Northern Europe: first established spiny-cheek crayfish *Faxonius limosus* (Rafinesque, 1817) population in Estonia. BiolInvasions Records. 9. 127-132.

Karaman I, Machino Y (2004) Occurrence of the spiny-cheek crayfish (*Orconectes limosus*) and the Chinese mitten crab (*Eriocheir sinensis*) in Serbia. Crayfish NEWS – International Association of Astacology Newsletter 26(2): 11, 19-20

Maguire, I., Klobučar, G., Žganec, K., Jelić, M., Lucić, A., & Hudina, S. (2018). Recent changes in distribution pattern of freshwater crayfish in Croatia– threats and perspectives. Knowledge & Management of Aquatic Ecosystems, (419), 2.

[Petrušek, Adam & Havlíčková Filipová, Lenka & Duris, Zdenek & Kočárková, Ivona & Kozák, P. & Polícar, Tomas & Štambergová, M. & Kučera, Z.. \(2006\). Distribution of the invasive spiny-cheek crayfish \(*Orconectes limosus*\) in the Czech Republic. Past and present. Bulletin Français de la Pêche et de la Pisciculture. 380-381. 903-917. 10.1051/kmae:2006030.](#)

Pöckl M. (1999). Distribution of crayfish species in Austria with special reference to introduced species. Freshwater Crayfish 12(1):733-750.

[Puky, Miklós & Schád, Péter. \(2006\). *Orconectes limosus* colonises new areas fast along the Danube in Hungary. Bulletin Francais De La Peche Et De La Pisciculture - BULL FR PECHE PISCIC. 380-381. 380-381. 10.1051/kmae:2006031.](#)

Zorić, Katarina & Atanacković, Ana & Ilić, Marija & Csányi, Béla & Paunović, Momir. (2020). The Spiny-cheek Crayfish *Faxonius limosus* (Rafinesque, 1817) (Decapoda: Cambaridae) Invades New Areas in Serbian Inland Waters. Acta Zoologica Bulgarica. 72. 623-627.