

**MN (Minor)** *Hoplobatrachus tigerinus*

<b>Date assessed</b>	2020-09-01
<b>Year published</b>	2021
<b>Eicat category</b>	MN (Minor)
<b>Justification for EICAT assessment</b>	Impact through predation by <i>H. tigerinus</i> has shown to reduce the performance of native individuals of various taxa on the Andaman Islands (Mohanti & Measey 2018, 2019), but population decline has not been studied, therefore the magnitude of the impact is classified as minor.
<b>Confidence rating</b>	Low
<b>Mechanism(s) of maximum impact</b>	Predation
<b>Countries of most severe impact</b>	India
<b>Description of impact</b>	Predation - Stomach content analysis show many endemic prey species are eaten on the Andaman Islands, and in a mesocosm experiment, <i>Hoplobatrachus tigerinus</i> reduced the survival of <i>Microhyla chakrapanii</i> and <i>Kaloula ghoshi</i> .
<b>Assessor</b>	Nitya Prakash Mohanty; Alexander D. Rebelo; Sabrina Kumschick
<b>Contributors</b>	James Baxter-Gilbert; Corey Thorp; Mohlamatsane Mokhatla; Giovanni Vimercati; Sarah J. Davies; F. André de Villiers; John Measey; Carla Wagener; Khensani Nkuna
<b>Reviewers</b>	EICAT authority
<b>Recommended citation</b>	Nitya Prakash Mohanty; Alexander D. Rebelo; Sabrina Kumschick. (2026). <i>Hoplobatrachus tigerinus</i> . IUCN Environmental Impact Classification for Alien Taxa (EICAT).

