

*Dreissena bugensis* 正體中文

**System:** Freshwater

Kingdom	Phylum	Class	Order	Family
Animalia	Mollusca	Bivalvia	Veneroida	Dreissenidae

**Common name** quagga mussel (English)

### Synonym

**Similar species** *Dreissena polymorpha*, *Corbicula fluminea*, *Dreissena rostriformis*

### Summary

*Dreissena bugensis* is native to parts of Ukraine. This small freshwater mussel is an active filter feeder, which competes for food resources with filter-feeding zooplankton by accelerating sedimentation of suspended matter, including organic substances. It is also a nuisance and economic problem when it grows on recreational or commercial ships/boats, potable water treatment plants and electric power stations.



[view this species on IUCN Red List](#)

### Species Description

*Dreissena bugensis* commonly has alternating light and dark brown stripes, but can also be solid light brown or dark brown. It has two smooth shells that are shaped like the letter "D". These mussels are usually less than 2 inches in length. In new populations, most mussels are young and therefore very small (under ¼ -inch long) (California Department of Fish and Game 2008).

There are two phenotypes of *D. bugensis* that have been reported in the Great Lakes: the "epilimnetic" form, which has a high flat shell, and the "profunda" form, which has an elongate modioliform shell and has invaded soft sediments in the hypolimnion. The epilimnetic form uses its byssal threads to attach to objects and particles and form druses or colonies. The profunda morph can form colonies and attach to objects with its byssal threads or it can partially bury itself in soft sediments and extend its very long incurrent siphon above itself to bring in suspended food particles (Vanderploeg *et al.* 2002).

### Notes

In both North America and its original range in Europe, *D. bugensis* is replacing zebra mussel (*D. polymorpha*) populations (Domske & Oneill 2003; Diggins *et al.* 2004). Some industries build intake structures at depths too low for *D. polymorpha* to grow in; however, *D. bugensis* is able to colonise surfaces at greater depths, rendering these new structures vulnerable to mussel colonisation (Mills *et al.*, 1999; and Richerson and Maynard, 2004).

### Lifecycle Stages

After fertilisation veligers (pelagic microscopic larvae) develop within a few days and soon acquire minute bivalve shells. Free-swimming veligers drift with the currents for three to four weeks, feeding using their hair-like cilia while trying to locate suitable substrata to settle and secure byssal threads. Mortality in this transitional stage from planktonic veliger to settled juveniles may exceed 99% (Stanczykowska 1977, in Bially & MacIsaac 2000). Macrophytes, mussel colonies and pebbles were found to be more suitable substrates for settling than gravel, sand or mud (Lewandowski 1982, in Bially & MacIsaac 2000)

## Uses

Because they are long-lived and sessile, quagga mussels can be used as bioindicators of hazardous substances such as radionuclides (Lubianov 1972, in Orlova 2009).

## Habitat Description

Adult *D. bugensis* attach to natural hard substrata including rocks, wood, and macrophytic plants and to man-made materials including concrete, metal piping, steel, nylon, fiberglass and wood. Mussels attach to substrates via proteinaceous byssal threads produced from a gland posterior to the foot. *D. bugensis* typically occur in fresh water but thrive in salinities up to 1‰ and can reproduce in salinities below 3‰. Salinities exceeding 6‰ cause mortality (Ussery & McMahon 1995; Wright *et al.* 1996).

## Reproduction

*D. bugensis* is a prolific breeder. It is dioecious and exhibits external fertilisation. A fully mature female mussel is capable of producing up to one million eggs per season (Richerson 2002; D'Itri 1996).

## Nutrition

*D. bugensis* are filter feeders which use cilia to pull water into their shell cavity from where it passes through an incurrent siphon. Desirable particulate matter is removed in the siphon. Each adult mussel is capable of filtering one or more liters of water each day, removing phytoplankton, zooplankton, algae and even their own veligers (larvae) (Snyder *et al.* 1997). Any undesirable particulate matter is bound with mucus, known as pseudofeces, and ejected out the incurrent siphon. The particle-free water is then discharged out the excurrent siphon (Richerson 2002, D'Itri 1996, Nalepa & Schloesser 1993).

## General Impacts

Nutrient loading and species introductions are thought to be two of the major environmental problems currently facing freshwater ecosystems (Richter *et al.* 1997, Hall *et al.* 2003 in Haynes *et al.* 2005), and both of these anthropogenic factors are of concern in the Great Lakes, USA (Haynes *et al.* 2005).

**Reduction in Native Biodiversity:** *D. bugensis* causes changes in the structural characteristics of zooplankton including total abundance, biomass and species composition. Specifically, there is an inverse relationship between zooplankton abundance/biomass and density of *Dreissena* mussels (Grigorovich & Shevtsova, 1995).

*Dreissena* infestations have caused upwards of 95% reduction in unionid numbers and extirpated eight species of unionids in some areas of the Great Lakes (Schloesser *et al.* 1998; Schloesser & Masteller 1999). Individuals attach themselves to the shells of other mussels, forming encrusting mats many shells thick (10-30mm).

**Modification of Natural Benthic Communities:** *Dreissena* negatively affects benthic invertebrate communities, especially filter-feeding or deep-dwelling invertebrates that rely on detrital rain (Dermott and Munawar 1993, Strayer *et al.* 1998, Johannsson *et al.* 2000, in Haynes *et al.* 2005). Predicting benthic invertebrate community response to a change in nutrient levels is very difficult, and the potential synergistic effects of nutrient alterations and exotics such as *Dreissena* are complex (Haynes *et al.* 2005).

**Economic:** Thick encrustations of mussels form on man-made structures or within raw water systems, impacting on operation and efficiency. *D. bugensis* can have major detrimental impacts on recreational and commercial shipping/boating as well as on water-using industries, potable water treatment plants and electric power stations (Ussery & McMahon, 1995).



# GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: *Dreissena bugensis*

---

## Management Info

Compared to the zebra mussel (*Dreissena polymorpha*) there has been little research carried out on the biology, ecological requirements and tolerances of quagga mussels (*Dreissena bugensis* (Mackie & Claudi, 2009). Indeed most research on the control of mussels has focused on *D. polymorpha* (McEnulty *et al.*, 2001). However it is thought that most of the control methods would also apply to quagga mussels (G.L. Mackie, pers. comm.; Virginia Department of Game and Inland Fisheries, 2005).

**Prevention:** Studies suggest that humans are responsible for most introductions of zebra and quagga mussels into new areas. The best way to prevent and manage dreissenid invasions in open waters is thought to be prevention through public outreach and education. Examples of this include public signage and wash stations at boat launches and other potential introduction points (Frischer *et al.* 2005).

**Detection:** One of the most important criteria for successful eradication of a species is early detection allowing control measures to take place while the incursion is still relatively small. Detection relies on monitoring and education. In Lake George, NY zebra mussels were detected in 1999 while the population was relatively small. Control efforts between 1999 and 2007, mainly using physical means and SCUBA, were successful in eradicating zebra mussels from the lake (Wimbush *et al.* 2009).

**Chemical Control:** Chemical control is one of the most common methods for control or eradication. Chlorination is often used; *D. bugensis* is more sensitive to chlorination than *D. polymorpha*. Thus chlorination programs currently in use to combat *D. polymorpha* are more than sufficient to simultaneously control *D. bugensis*. Another alternative has been potassium permanganate, especially for drinking water sources, even though chemical controls are not environmentally sound solutions. *D. polymorpha* was recently eradicated from Millbrook Quarry, Virginia using 174,000 gallons of potassium chloride solution over a 3 week period in 2006 (Virginia Department of Game and Inland Fisheries, 2005). Other chemical control options include chlorine dioxide, sodium hypochlorite, ozone, molluscicides and polymers (D'Itri, 1996).

**Physical:** Decreasing water levels of water bodies to cause desiccation of *D. bugensis* is an effective, readily applied and environmentally neutral technique. It would be most effective in raw water systems such as navigation locks and water intake structures, which are designed to be periodically dewatered for maintenance. This is a particularly attractive method of control because it could be utilized to mitigate fouling not just by *D. bugensis* but also mixed populations of this species and *D. polymorpha* (Brady *et al.*, 1996; Ussery & McMahon, 1995). Other physical methods include manual scraping, high-pressure jetting, antifouling coatings and mechanical filtration.

**Biological Control:** Research is currently underway to test the effectiveness of the CL145A strain of the bacteria *Pseudomonas fluorescens* which produces a toxin that destroys the digestive system of *Dreissena* spp. (Molloy & Mayer 2007).

**Other:** A variety of other control methods in use or being developed are oxygen deprivation, thermal treatment, radiation, molluscicides, ozone, antifouling coatings, electric currents, and sonic vibration (D'Itri, 1996; Mackie & Claudi, 2009). Fears and Mackie (1995) investigated the use of low-voltage currents for preventing settlement and attachment by *D. bugensis* by using steel rods and plates with the current running through them placed near the intake of a pulp and paper plant. Complete prevention of settlement was achieved at 8 volts/in with steel rods on both wood and concrete surfaces (Fears & Mackie, 1995).

## Pathway

A study conducted by Ricciardi and colleagues (1995) revealed that under temperate summer conditions adult *D. bugensis* may survive on overland transport (e.g. small trailer-boats) for up to 5 days. Veligers can be transported in fish and bait wells as well as in cooling ports of inboard and outboard motors. Most or all the introductions of quagga mussels beyond the 100th Meridian in North America are purported to be via trailered boats (Mackie & Claudi 2009). Its release into Great Lakes waters is linked to discharge of ship ballast water (Mills *et al.*, 1999).

**Principal source:** [Ussery and McMahon, 1995](#) Comparative study of the desiccation resistance of zebra mussels (*Dreissena podymzmvpha*) and quagga mussels (*Dreissena bugensis*) [Richerson, 2002](#). [DREISSENA Species FAQs, A closer look](#)



# GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: *Dreissena bugensis*

**Compiler:** IUCN/SSC Invasive Species Specialist Group (ISSG)

**Review:** Gerald L. Mackie, Professor, Department of Zoology, University of Guelph, Guelph, Ontario Canada

**Publication date:** 2010-10-27

## ALIEN RANGE

[1] ATLANTIC - NORTHEAST  
[1] CASPIAN SEA  
[1] GREAT LAKES  
[1] LAKE HURON  
[1] LAKE ONTARIO  
[1] LAKE SUPERIOR  
[1] NETHERLANDS  
[2] RUSSIAN FEDERATION  
[5] UKRAINE

[3] CANADA  
[1] GERMANY  
[1] LAKE ERIE  
[1] LAKE MICHIGAN  
[1] LAKE ST. CLAIR  
[1] MEDITERRANEAN & BLACK SEA  
[2] ROMANIA  
[1] ST. LAWRENCE RIVER  
[19] UNITED STATES

## BIBLIOGRAPHY

**260** references found for *Dreissena bugensis*

### Management information

Aldridge, David C. and Elliot, Paul 2004. A microencapsulated BioBullet for the control of biofouling zebra mussels. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.

**Summary:** Report on the development of a new control method for zebra mussels using biobullets.

Aldridge, David C., Elliott, Paul, Moggridge, Geoff D., 2006. Microencapsulated BioBullets for the control of biofouling zebra mussels. Environmental Science & Technology. 40(3). FEB 1 2006. 975-979.

Angarano, Maj-Britt, McMahon, Robert F., Schetz, John A., 2009. Cannabinoids inhibit zebra mussel (*Dreissena polymorpha*) byssal attachment: a potentially green antifouling technology. Biofouling. 25(2). 2009. 127-138.

Benson, A. J. and D. Raikow. 2009. *Dreissena polymorpha*. USGS Nonindigenous Aquatic Species Database, Gainesville, FL. Revision Date: 10/31/2008

Brady, J., J. E. V. Benschoten, and J. N. Jensen. 1996. Technical note: Chlorination effectiveness for zebra and quagga mussels. American Water Works Association. Journal; Jan 1996; 88, 1; ABI/INFORM Trade & Industry pg. 107.

California Department of Fish and Game. 2008. Zebra and Quagga Mussel Artificial Substrate Monitoring Protocol.

[Centre for Environment, Fisheries & Aquaculture Science \(CEFAS\), 2008. Decision support tools-Identifying potentially invasive non-native marine and freshwater species: fish, invertebrates, amphibians.](#)

**Summary:** The electronic tool kits made available on the Cefas page for free download are Crown Copyright (2007-2008). As such, these are freeware and may be freely distributed provided this notice is retained. No warranty, expressed or implied, is made and users should satisfy themselves as to the applicability of the results in any given circumstance. Toolkits available include 1) FISK- Freshwater Fish Invasiveness Scoring Kit (English and Spanish language version); 2) MFISK- Marine Fish Invasiveness Scoring Kit; 3) MI-ISK- Marine invertebrate Invasiveness Scoring Kit; 4) FI-ISK- Freshwater Invertebrate Invasiveness Scoring Kit and AmphISK- Amphibian Invasiveness Scoring Kit. These tool kits were developed by Cefas, with new VisualBasic and computational programming by Lorenzo Vilizzi, David Cooper, Andy South and Gordon H. Copp, based on VisualBasic code in the original Weed Risk Assessment (WRA) tool kit of P.C. Pheloung, P.A. Williams & S.R. Halloy (1999).

The decision support tools are available from:

<http://cefas.defra.gov.uk/our-science/ecosystems-and-biodiversity/non-native-species/decision-support-tools.aspx> [Accessed 13 October 2011]

[The guidance document](http://www.cefas.co.uk/media/118009/fisk_guide_v2.pdf) is available from [http://www.cefas.co.uk/media/118009/fisk\\_guide\\_v2.pdf](http://www.cefas.co.uk/media/118009/fisk_guide_v2.pdf) [Accessed 13 January 2009].

Edwards, William J., Babcock-Jackson, Lisa, Culver, David A. 2000. Prevention of the spread of zebra mussels during fish hatchery and aquaculture activities. North American Journal of Aquaculture. 62(3). July, 2000. 229-236.

Fears, C., and G. L. Mackie. 1995. Efficacy of Low Level Electric Current (A-C) for Controlling Quagga Mussels in the Welland Canal. Proceedings of The Fifth International Zebra Mussel and Other Aquatic Nuisance Organisms Conference, Toronto, Canada, February 1995.

Frischer, Marc E., McGrath, Brian R., Hansen, Andrew S., Vescio, Paul A., Wyllie, Jane A., Wimbush, John, Nierzwicki-Bauer, Sandra A., 2005. Introduction pathways, differential survival of adult and larval zebra mussels (*Dreissena polymorpha*), and possible management strategies, in an adirondack lake, Lake George, NY. Lake & Reservoir Management. 21(4). DEC 2005. 391-402.

Garcia, Oscar Nieto. 2004. Biofouling control strategies in ANAV nuclear power plants. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.

**Summary:** Effect of zebra mussels on re Fridgeration structures and the methods used to control their numbers.



# GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: *Dreissena bugensis*

[Hewitt, C.L., Campbell, M.L. and Gollasch, S. 2006. Alien Species in Aquaculture. Considerations for responsible use. IUCN, Gland, Switzerland and Cambridge, UK. viii + 32 pp.](#)

**Summary:** This publication aims to first provide decision makers and managers with information on the existing international and regional regulations that address the use of alien species in aquaculture, either directly or indirectly; and three examples of national responses to this issue (New Zealand, Australia and Chile).

Available from: <http://data.iucn.org/dbtw-wpd/edocs/2006-036.pdf> [Accessed 22 September 2008]

[Horvath, T. 2008. Economically viable strategy for prevention of invasive species introduction: Case study of Otsego Lake, New York. Aquatic Invasions \(2008\) Volume 3, Issue 1: 3-9.](#)

[Kraft, Clifford E. and Johnson, Ladd E. 2000. Regional differences in rates and patterns of North American inland lake invasions by zebra mussels \(\*Dreissena polymorpha\*\). Canadian Journal of Fisheries & Aquatic Sciences. 57\(5\). May, 2000. 993-1001.](#)

[Marshall, D. 1999. Pulse generator for biofouling prevention. In Abstracts: First National Conference on Marine Bioinvasions, January 24 -27, 1999. Massachusetts Institute of Technology, Cambridge, MA](#)

**Summary:** Report into the success of using a pulse power method for controlling zebra mussel numbers.

[McEnnulty, F.R., Jones, T.E., and Bax, N.J. 2001. The web-based rapid response toolbox.](#)

**Summary:** This database offers information on pesticides which may be used to control arthropods, including the Harris mud crab.

Available from: <http://www.marine.csiro.au/crimp/nimpis/controlDetail.asp?ID=84> [Accessed 13 December 2007]

[Messer, C.M. and Veldhuizen, T.C. 2003. Westward Ho : Zebra mussels on the move. In Abstracts: Third International Conference on Marine Bioinvasions, March 16-19, 2003. Scripps Institution of Oceanography La Jolla, California](#)

**Summary:** Report into a monitoring program and also the possible development of a response plan.

[Minchin, Dan; Lucy, Frances and Sullivan, Monica. 2002. In: E. Leppakoski, S. Gollasch & S. Olenin \(eds\), Invasive Aquatic Species of Europe: Distribution, Impacts and Management. 135-146.](#)

**Summary:** Overview of zebra mussel spread in Europe and North America. Finally concentrating on impacts and responses in Ireland.

[Molloy, Daniel P.; Gaylo, Michael, J.; Mayer, Denise A. and Presti, Kathleen T. 2004. Progress in the biological control of zebra mussels: Results of laboratory and power plant tests. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.](#)

**Summary:** The effectiveness of using *Pseudomonas fluorescens* as a control agent for zebra mussels.

[Molloy, D.P. & Mayer, D.A. 2007. Overview of a Novel Green Technology: Biological Control of Zebra and Quagga Mussels with \*Pseudomonas fluorescens\*. Version 6.](#)

**Summary:** Available from:

[http://www.aquaticnuisance.org/wordpress/wp-content/uploads/2009/01/Dreissena%20Novel%20Green%20Technology%20for%20Dreissena%20Control%20\(4\)%20Malloy.pdf](http://www.aquaticnuisance.org/wordpress/wp-content/uploads/2009/01/Dreissena%20Novel%20Green%20Technology%20for%20Dreissena%20Control%20(4)%20Malloy.pdf) [Accessed 25 March, 2010]

[Nalepa, T.F. & Schloesser, D.W. 1993. Zebra mussels: biology, impacts and control. Lewis Publishers.](#)

[Park, Kirsty. 2004. Assessment and management of invasive alien predators. Ecology & Society. 9\(2\). DEC 2004. Article No.: 12.](#)

[Ricciardi, A., R. Serrouya, and F. G. Whoriskey. 1995b. Aerial exposure tolerance of zebra and quagga mussels \(Bivalvia: Dreissenidae\): implications for overland dispersal. Can. J. Fish. Aquat. Sci. 52: 470-477 \(1995\).](#)

[Richerson, M. 2002. Dreissena species FAQs, A closer look. FISC - Center for Aquatic Resource Studies: U.S. Department of the Interior & U.S. Geological Survey.](#)

**Summary:** Available from: [http://cars.er.usgs.gov/Nonindigenous\\_Species/Zebra\\_mussel\\_FAQs/Dreissena\\_FAQs/dreissena\\_faqs.html](http://cars.er.usgs.gov/Nonindigenous_Species/Zebra_mussel_FAQs/Dreissena_FAQs/dreissena_faqs.html) [Accessed 02 December 2005]

[Rothbard, S. and Rubinshtein, I. 1999. The black carp, a potential biocontrol of mollusks. Israeli Journal of Aquaculture Bamidgeh. 51\(2\). June, 1999. 74-83.](#)

[Schaefer, R. 2004. Development of an efficient low-cost sparker technology for controlling zebra mussels. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.](#)

**Summary:** Research into the optimum pressure pulse needed to most effectively control zebra mussels.

[Simpson, G. 2001. Ballast Water Disinfection with CLO2. In Abstracts: Second International Conference on Marine Bioinvasions, March 9-11, 2001. New Orleans, LA](#)

**Summary:** Report into using chlorine dioxide as a treatment for ballast water to prevent the spread of marine invasive species.

Available from: <http://massbay.mit.edu/resources/pdf/MarinePDF/2001/MBI2001abs10.pdf> [Accessed 5 December 2005]

[Smythe, A. Garry and Lange, Cameron L., 2004. Efficacy of a starch-based reagent as a proactive control for mussels \(\*Dreissena\* spp.\) and other molluscs. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.](#)

**Summary:** Study into the effectiveness of using a starch based reagent to control zebra mussel numbers.

[Tamburri, M.N., Wasson, K. and Matsuda, M. 2001. Ballast water deoxygenation can prevent species introductions while reducing ship corrosion. In Abstracts: Second International Conference on Marine Bioinvasions, March 9-11, 2001. New Orleans, LA](#)

**Summary:** Deoxygenation of water could be used to kill larvae and adults of zebra mussels in ballast water.

[Ussery, T. A., and McMahon, R. F. 1995. Comparative study of the desiccation resistance of zebra mussels \(\*Dreissena podyzmvpha\*\) and quagga mussels \(\*Dreissena bugensis\*\), Technical Report EL-95-6, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.](#)

[Vander Zanden, M. Jake, Olden, Julian D., 2008. A management framework for preventing the secondary spread of aquatic invasive species. Canadian Journal of Fisheries & Aquatic Sciences. 65\(7\). JUL 2008. 1512-1522.](#)

[Vasarhelyi, C., Thomas, V. G., Niimi, A. J. 2004. Analysis of legislation pertaining to the control and management of exotic aquatic species in Canadian and adjacent United States waters. Canadian Technical Report of Fisheries & Aquatic Sciences. 2561 2004. 1-39, V.](#)

[Virginia Department of Game and Inland Fisheries. 2005. Millbrook Quarry zebra mussel and quagga mussel eradication. U.S. Fish and Wildlife Service Final Environmental Assessment.](#)

**Summary:** Available from: [http://www.dgif.virginia.gov/wildlife/final\\_zm\\_ea.pdf](http://www.dgif.virginia.gov/wildlife/final_zm_ea.pdf) [Accessed 27 March, 2010]

[Wimbush, J., Frischer, M.E., Zarzynski, J.W. & Nierzwicki-Bauer, S.A. 2009. Eradication of colonizing populations of zebra mussels \(\*Dreissena polymorpha\*\) by early detection and SCUBA removal: Lake George, NY. Aquatic Conservation: Freshwater Ecosystems 9: 703-713.](#)



## General information

- Alan, J., Nicholas, E. and Mandrak., 2006. Impacts of alien invasive species on freshwater fauna at risk in Canada. *Biological Invasions* (2006) 8: 13-24
- Andraso, Gregory M., 2005. Summer food habits of pumpkinseeds (*Lepomis gibbosus*) and bluegills (*Lepomis macrochirus*) in Presque Isle Bay, Lake Erie. *Journal of Great Lakes Research*. 31(4). 2005. 397-404.
- Anonymous. 2006. Changes in abundance of deep water amphipod *Diporeia* (Pontoporeiidae) in eastern North American lakes with or without *Dreissena* mussels. *Canadian Technical Report of Fisheries & Aquatic Sciences*. 2636 2006. V,1-88.
- Antsulevich, Alexander E., Valipakka, Pentti, Vaittinen, Juhani. 2003. How are the zebra mussels doing in the Gulf of Finland?. *Proceedings of the Estonian Academy of Sciences Biology Ecology*. 52(3). September 2003. 268-283.
- Astane, Iulian, Gosling, Elizabeth, Wilson, Jim, Powell, Eithne. 2005. Genetic variability and phylogeography of the invasive zebra mussel, *Dreissena polymorpha* (Pallas). *Molecular Ecology*. 14(6). MAY 05. 1655-1666.
- Austen, M., Ciborowski, J., Corkum, L., Johnson, T., Maclsaac, H., Metcalfe-Smith, J., Schloesser, D., George, S. Unknown. Impacts of Aquatic Nonindigenous Invasive Species on the Lake Erie Ecosystem. [web2.uwindsor.ca](http://web2.uwindsor.ca)
- Bachmann, V., Beisel, J. N., Usseglio-Polatera, P., Moreteau, J. C. 2001. Decline of *Dreissena polymorpha* in the River Moselle: Biotic and abiotic key factors involved in dynamics of invasive species. *Archiv fuer Hydrobiologie*. 151(2). May, 2001. 263-281.
- Bailey, Robert C., Grapentine, Lee, Stewart, Thomas J., Schaner, Ted, Chase, Margo E., Mitchell, Jeremy S., Coulas, Robert A. 1999. Dreissenidae in Lake Ontario: Impact assessment at the whole lake and Bay of Quinte spatial scales. *Journal of Great Lakes Research*. 25(3). 1999. 482-491.
- Baker, Shirley M. and Levinton, Jeffrey S. 2003. Selective feeding by three native North American freshwater mussels implies food competition with zebra mussels. *Hydrobiologia*. 505 15 September, 2003. 97-105.
- Baker, S. M. and Hornbach, D. J. 1997. Acute physiological effects of zebra mussel (*Dreissena polymorpha*) infestation on two unionid mussels, *Actiononaias ligamentina* and *Amblema plicata*. *Canadian Journal of Fisheries & Aquatic Sciences*. 54(3). 1997. 512-519.
- Barbiero, Richard P. and Tuchman, Marc L. 2004. Long-term dreissenid impacts on water clarity in Lake Erie. *Journal of Great Lakes Research*. 30(4). 2004. 557-565.
- Barton, David R. 2004. Differences in wave-zone benthic invertebrate communities in Lake Huron and Georgian Bay, 1974-2003. *Journal of Great Lakes Research*. 30(4). 2004. 508-518.
- Barton, David R., Johnson, Reagan A., Campbell, Linda, Petruniak, Jennifer, Patterson, Matthew. 2005. Effects of round gobies (*Neogobius melanostomus*) on dreissenid mussels and other invertebrates in eastern Lake Erie, 2002-2004. *Journal of Great Lakes Research*. 31(Suppl. 2). 2005. 252-261.
- Bartsch, L. A., Richardson, W. B., Sandheinrich, M. B. 2003. Zebra mussels (*Dreissena polymorpha*) limit food for larval fish (*Pimephales promelas*) in turbulent systems: A bioenergetics analysis. *Hydrobiologia*. 495 15 March, 2003. 59-72.
- Bartsch, Michelle R., Bartsch, Lynn A., Gutreuter, Steve. 2005. Strong effects of predation by fishes on an invasive macroinvertebrate in a large floodplain river. *Journal of the North American Benthological Society*. 24(1). March 2005. 168-177.
- [Benson, A. J. 2008. Quagga mussel sightings distribution.](#)
- Summary:** Available from: <http://nas.er.usgs.gov/taxgroup/mollusks/zebramussel/quaggamusseldistribution.aspx> [Accessed 24 March, 2010]
- Berkman, P.A., Haltuch, M.A., Tichich, E., Garton, G.W., Gannon, J., Mackey, S., Fuller, J., Liebenthal, D. 1998. Zebra mussels invade Lake Erie muds. *Nature* 393, 27-28 (7 May 1998).
- Berny, P. J., Veniat, A., Mazallon, M. 2003. Bioaccumulation of lead, cadmium, and lindane in zebra mussels (*Dreissena polymorpha*) and associated risk for bioconcentration in tufted duck (*Aythya fuligula*). *Bulletin of Environmental Contamination & Toxicology*. 71(1). July 2003. 90-97.
- Bially, A. and H. J. Maclsaac. 2000. Fouling mussels (*Dreissena* spp.) colonize soft sediments in Lake Erie and facilitate benthic invertebrates. *Freshwater Biology* 43:85-97.
- Bially, Andrew and Maclsaac, Hugh J. 2000. Fouling mussels (*Dreissena* spp.) colonize soft sediments in Lake Erie and facilitate benthic invertebrates. *Freshwater Biology*. 43(1). Jan., 2000. 85-97.
- Bierman, Victor J. Jr., Kaur, Jagjit, DePinto, Joseph V., Feist, Timothy J., Dilks, David W. 2005. Modeling the role of zebra mussels in the proliferation of blue-green algae in Saginaw Bay, Lake Huron. *Journal of Great Lakes Research*. 31(1). 05. 32-55.
- Bobat, Alaeddin, Hengirmen, Mehmet Oguz, Zapletal, Walter. 2004. Zebra mussel and fouling problems in the Euphrates Basin. *Turkish Journal of Zoology*. 28(2). 2004. 161-177.
- Bobeldyk, Angela M., Bossenbroek, Jonathan M., Evans-White, Michelle A., Lodge, David M., Lamberti, Gary A. 2005. Secondary spread of zebra mussels (*Dreissena polymorpha*) in coupled lake-stream systems. *Ecoscience*. 12(3). 2005. 339-346.
- Bogan, A. E. 1998. Freshwater molluscan conservation in North America: Problems and practices. *Journal of Conchology*. SPECIAL PUBL.(2). June, 1998. 223-230.
- Bowers, Richard and De Szalay, Ferenc A. 2005. Effects of water level fluctuations on zebra mussel distribution in a Lake Erie coastal wetland. *Journal of Freshwater Ecology*. 20(1). March 2005. 85-92.
- Bowers, Richard and De Szalay, Ferenc A. 2007. Fish predation of Zebra mussels attached to *Quadrula quadrula* (Bivalvia: Unionidae) and benthic molluscs in a Great lake coastal wetland. *WETLANDS*, Vol. 27, No. 1, March 2007, pp. 203-208
- Brazner, John C. and Jensen, Douglas A. 2000. Zebra mussel (*Dreissena polymorpha* (Pallas)) colonization of rusty crayfish (*Orconectes rusticus* (Girard)) in Green Bay, Lake Michigan. *American Midland Naturalist*. 143(1). Jan., 2000. 250-256.
- Bruesewitz, Denise A., Tank, Jennifer L., Bernot, Melody J., Richardson, William B., Strauss, Eric A., 2006. Seasonal effects of the zebra mussel (*Dreissena polymorpha*) on sediment denitrification rates in Pool 8 of the Upper Mississippi River. *Canadian Journal of Fisheries & Aquatic Sciences*. 63(5). MAY 2006. 957-969.
- Bunnell, David B., Madenjian, Charles P., Holuszko, Jeffrey D., Adams, Jean V., French, John R. P. III., 2009. Expansion of *Dreissena* into offshore waters of Lake Michigan and potential impacts on fish populations. *Journal of Great Lakes Research*. 35(1). MAR 2009. 74-80.
- Burlakova, Lyubov E., Karatayev, Alexander Y., Padilla, Dianna K., 2006. Changes in the distribution and abundance of *Dreissena polymorpha* within lakes through time. *Hydrobiologia*. 571 NOV 2006. 133-146.



# GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: *Dreissena bugensis*

- Burlakova, Lyubov E., Padilla, Dianna K., Karatayev, Alexander Y., Minchin, Dan., 2006. Endosymbionts of *Dreissena polymorpha* in Ireland: Evidence for the introduction of adult mussels. *Journal of Molluscan Studies*. 72(Part 2). MAY 2006. 207-210.
- Butkas, K. J., Ostrofsky, M. L., 2006. The status of unionid and dreissenid mussels in northwestern Pennsylvania inland lakes. *Nautilus*. 120(3). SEP 22 2006. 106-111.
- Caraco, Nina F., Jonathan J. Cole, Peter A. Raymond, David L. Strayer, Michael L. Pace, Stuart E. G. Findlay, and David T. Fischer., 1997. Zebra Mussel Invasion in a Large, Turbid River: Phytoplankton Response to Increased Grazing. *Ecology*, 78(2), 1997, pp. 588-602
- Carlton, James T., 2008. The Zebra Mussel *Dreissena polymorpha* Found in North America in 1986 and 1987. *Journal of Great Lakes Research*. 34(4). DEC 2008. 770-773.
- Cecala, Rebecca K., Mayer, Christine M., Schulz, Kimberly L., Mills, Edward L., 2008. Increased Benthic Algal Primary Production in Response to the Invasive Zebra Mussel (*Dreissena polymorpha*) in a Productive Ecosystem, Oneida Lake, New York. *Journal of Integrative Plant Biology*. 50(11). NOV 2008. 1452-1466.
- CH2M HILL. 2007. Colonization of cargo residue in the Great Lakes by Zebra mussel (*Dreissena polymorpha*) and Quagga mussel (*Dreissena bugensis*). USCG Great Lakes Mussel Report.
- Cloe, W.W., Garman, G.C., Stranko, S.A. 1995. The potential of the Bull chub (*Nocomis raneyi*) as a predator of the Zebra Mussel (*Dreissena polymorpha*) in Mid-Atlantic coastal rivers. *American Midland Naturalist*, Vol. 133, No. 1 (Jan., 1995), pp. 170-176
- CONABIO. 2008. Sistema de información sobre especies invasoras en México. Especies invasoras - Moluscos. Comisión Nacional para el Conocimiento y Uso de la Biodiversidad. Fecha de acceso.
- Summary: English:**  
The species list sheet for the Mexican information system on invasive species currently provides information related to Scientific names, family, group and common names, as well as habitat, status of invasion in Mexico, pathways of introduction and links to other specialised websites. Some of the higher risk species already have a direct link to the alert page. It is important to notice that these lists are constantly being updated, please refer to the main page (<http://www.conabio.gob.mx/invasoras/index.php/Portada>), under the section Novedades for information on updates.  
Invasive species - Molluscs is available from: [http://www.conabio.gob.mx/invasoras/index.php/Especies\\_invasoras\\_-\\_Moluscos](http://www.conabio.gob.mx/invasoras/index.php/Especies_invasoras_-_Moluscos) [Accessed 30 July 2008]
- Spanish:**  
La lista de especies del Sistema de información sobre especies invasoras de México cuenta actualmente con información acerca de nombre científico, familia, grupo y nombre común, así como como hábitat, estado de la invasión en México, rutas de introducción y ligas a otros sitios especializados. Algunas de las especies de mayor riesgo ya tienen una liga directa a la página de alertas. Es importante resaltar que estas listas se encuentran en constante proceso de actualización, por favor consulte la portada (<http://www.conabio.gob.mx/invasoras/index.php/Portada>), en la sección novedades, para conocer los cambios.  
Especies invasoras - Moluscos is available from: [http://www.conabio.gob.mx/invasoras/index.php/Especies\\_invasoras\\_-\\_Moluscos](http://www.conabio.gob.mx/invasoras/index.php/Especies_invasoras_-_Moluscos) [Accessed 30 July 2008]
- Conroy, Joseph D., William J. Edwards, Ruth A. Pontius, Douglas D. Kane, Hongyan Zhang, John F. Shea, Julie N. Richey and David A. Culver., Soluble nitrogen and phosphorus excretion of exotic freshwater mussels (*Dreissena* spp.): potential impacts for nutrient remineralisation in western Lake Erie. *Freshwater Biology* Volume 50 Issue 7, Pages 1146 - 1162
- Cope, W. G., Bartsch, M. R., Hightower, J. E., 2006. Population dynamics of zebra mussels *Dreissena polymorpha* (Pallas, 1771) during the initial invasion of the Upper Mississippi River, USA. *Journal of Molluscan Studies*. 72(Part 2). MAY 2006. 179-188.
- [Delivering Alien Invasive Species Inventories for Europe \(DAISIE\), 2006. \*Dreissena bugensis\*](#)
- Summary:** Available from: <http://www.europe-aliens.org/speciesFactsheet.do?speciesId=53730> [Accessed 10 August 2009]
- Dermott, Ronald, Munawar, Mohiuddin, Bonnell, Robert, Carou, Silvina, Niblock, Heather, Nalepa, Thomas F., Messick, Gretchen. 2005. Preliminary investigations for causes of the disappearance of *Diporeia* spp. from Lake Ontario. *Great Lakes Fishery Commission Technical Report*. (66). MAR 05. 203-232.
- Diggins, Thomas P., Weimer, Michael, Stewart, Kenton M., Baier, Robert E., Meyer, Anne E., Forsberg, Robert F., Goehle, Michael A. 2004. Epiphytic refugium: Are two species of invading freshwater bivalves partitioning spatial resources?. *Biological Invasions*. 6(1). 2004. 83-88.
- Doltri, F.M. 1996. (Ed). Zebra mussels and aquatic nuisance species. Ann Arbor: Ann Arbor Press.
- Elderkin, Curt L., Stoeckel, James A., Klerks, Paul L., Berg, David J. 2004. Heritability of heat tolerance in zebra mussel veligers. *Journal of Great Lakes Research*. 30(3). 2004. 360-366.
- Ellis, Sandra, MacIsaac, Hugh J., 2009. Salinity tolerance of Great Lakes invaders. *Freshwater Biology*. 54(1). JAN 2009. 77-89.
- Fincke, Ola M., Santiago, Diana, Hickner, Stephen, Bienek, Rosalie., 2009. Susceptibility of larval dragonflies to zebra mussel colonization and its effect on larval movement and survivorship. *Hydrobiologia*. 624(1). MAY 2009. 71-79.
- Findlay, S., Pace, M. L., Fischer, D. T. 1998. Response of heterotrophic planktonic bacteria to the zebra mussel invasion of the tidal freshwater Hudson River. *Microbial Ecology*. 36(2). Sept.-Oct., 1998. 131-140.
- Fitzsimons, John D., Williston, Bill and Fodor, Georgina 2004. An assessment of the direct and indirect impacts of aquatic invasive species on lake trout restoration in the Great Lakes. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.
- Summary:** Impacts of some invasive species on native species within the Great Lakes.
- French, John R. P. III, Schaeffer, Jeffrey S., Roseman, Edward F., Kiley, Courtney S., Fouilleroux, Alexandria., 2009. Abundance and distribution of benthic macroinvertebrates in offshore soft sediments in Western Lake Huron, 2001-2007. *Journal of Great Lakes Research*. 35(1). MAR 2009. 120-127.
- Frischer, M.E., McGrath, B.R., Hansen, A.S., Vescio, P.A., Wyllie, J.A., Wimbush, J. & Nierzwicki-Bauer, S.A. 2005. Introduction pathways and differential survival of zebra mussel (*Dreissena polymorpha*) adults and larvae in an Adirondack lake, Lake George, NY. *Lake and Reservoir Management* 21: 391-402.
- Garton, David W., Payne, Christopher D., Montoya, Joseph P. 2005. Flexible diet and trophic position of dreissenid mussels as inferred from stable isotopes of carbon and nitrogen. *Canadian Journal of Fisheries & Aquatic Sciences*. 62(5). MAY 05. 1119-1129.
- Gergs, Rene, Rothhaupt, K. -O., 2008. Feeding rates, assimilation efficiencies and growth of two amphipod species on biodeposited material from zebra mussels. *Freshwater Biology*. 53(12). DEC 2008. 2494-2503.

- Golubkov, Sergey M., Back, Saara, Nikulina, Vera N., Orlova, Marina I., Anokhina, Lydia E., Umnova, Ludmila P. 2003. Effects of eutrophication and invasion of *Dreissena polymorpha* in the coastal zone of the eastern Gulf of Finland. Proceedings of the Estonian Academy of Sciences Biology Ecology. 52(3). September 2003. 218-235.
- Gonzalez, Maria J. and Downing, Amy. 1999. Mechanisms underlying amphipod responses to zebra mussel (*Dreissena polymorpha*) invasion and implications for fish-amphipod interactions. Canadian Journal of Fisheries & Aquatic Sciences. 56(4). April, 1999. 679-685.
- Greenwood, Kim S., Thorp, James H., Summers, R. Brent, Guelda, Debra L. 2001. Effects of an exotic bivalve mollusc on benthic invertebrates and food quality in the Ohio River. Hydrobiologia. 462 15 October, 2001. 169-172.
- Grigorovich, I. A., and L. V. Shevtsova. 1995. *Effect of Dreissena Mussels on the Distribution of Zooplankton as Exemplified by the Main Kakhovka Canal*. Proceedings of The Fifth International Zebra Mussel and Other Aquatic Nuisance Organisms Conference, Toronto, Canada, February 1995.
- Grigorovich, Igor A., Angradi, Ted R., Stepien, Carol A. 2008. Occurrence of the quagga mussel (*Dreissena bugensis*) and the zebra mussel (*Dreissena polymorpha*) in the upper Mississippi River system. Journal of Freshwater Ecology. 23(3). SEP 2008. 429-435.
- Grigorovich, Igor A., Kelly, John R., Darling, John A., West, Corlis W. 2008. The quagga mussel invades the Lake Superior basin. Journal of Great Lakes Research. 34(2). JUN 2008. 342-350.
- Gurevitch, Jessica and Padilla, Dianna K. 2004. Response to Ricciardi. Assessing species invasions as a cause of extinction. Trends in Ecology & Evolution. 19(12). December 2004. 620.
- Haynes, James M., Tisch, Nancy A., Mayer, Christine M., Rhyne, Randall S. 2005. Benthic macroinvertebrate communities in southwestern Lake Ontario following invasion of *Dreissena* and *Echinogammarus*: 1983 to 2000. Journal of the North American Benthological Society. 24(1). March 2005. 148-167.
- Holland, Ruth E., 1993. Changes in Planktonic Diatoms and Water Transparency in Hatchery Bay, Bass Island Area, Western Lake Erie. . J. Great Lakes Res. 19(3):617-624 Since the Establishment of the Zebra Mussel
- Horvath, Thomas G. and Lamberti, Gary A. 1997. Drifting macrophytes as a mechanism for zebra mussel (*Dreissena polymorpha*) invasion of lake-outlet streams. American Midland Naturalist. 138(1). 1997. 29-36.
- Horvath, Thomas G., Martin, Kristine M., Lamberti, Gary A. 1999. Effect of zebra mussels, *Dreissena polymorpha*, on macroinvertebrates in a lake-outlet stream. American Midland Naturalist. 142(2). Oct., 1999. 340-347.
- Hubenov, Zdravko., 2005. *Dreissena* (Bivalvia: Dreissenidae) - Systematics, autochthonous and anthropogenic areas. Acta Zoologica Bulgarica. 57(3). DEC 2005. 259-268.
- Hubenov, Zdravko and Trichkova, Teodora. 2007. *Dreissena bugensis* (Mollusca : Bivalvia : Dreissenidae) new invasive species to the Bulgarian malacofauna. Acta Zoologica Bulgarica. 59(2). AUG 2007. 203-209.
- Hunter, R. Douglas and Simons, Katherine A. 2004. Dreissenids in Lake St. Clair in 2001: Evidence for population regulation. Journal of Great Lakes Research. 30(4). 2004. 528-537.
- [ITIS \(Integrated Taxonomic Information System\). 2005. \*Dreissena bugensis\*. Integrated Taxonomic Information System \[Online Database\].](#)
- Summary:** Available from: [http://www.itis.usda.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=567514](http://www.itis.usda.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=567514) [Accessed 2 December 2009]
- [ITIS \(Integrated Taxonomic Information System\). 2005. Online Database \*Dreissena bugensis\*.](#)
- Summary:** An online database that provides taxonomic information, common names, synonyms and geographical jurisdiction of a species. In addition links are provided to retrieve biological records and collection information from the Global Biodiversity Information Facility (GBIF) Data Portal and bioscience articles from BioOne journals.
- Available from: [http://www.itis.usda.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=567514](http://www.itis.usda.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=567514) [Accessed 24 March 2005]
- Jack, Jeffrey D. and Thorp, James H. 2000. Effects of the benthic suspension feeder *Dreissena polymorpha* on zooplankton in a large river. Freshwater Biology. 44(4). August, 2000. 569-579.
- Johnson, Ladd E. and Padilla, Dianna K. 1996. Geographic spread of exotic species: Ecological lessons and opportunities from the invasion of the zebra mussel *Dreissena polymorpha*. Biological Conservation. 78(1-2). 1996. 23-33.
- Johnson, Ladd E., Bossenbroek, Jonathan M., Kraft, Clifford E., 2006. Patterns and pathways in the post-establishment spread of non-indigenous aquatic species: The slowing invasion of North American inland lakes by the zebra mussel. Biological Invasions. 8(3). APR 2006. 475-489.
- Jones, Lisa A. and Anthony Ricciardi., 2005. Influence of physicochemical factors on the distribution and biomass of invasive mussels (*Dreissena polymorpha* and *Dreissena bugensis*) in the St. Lawrence River. Can. J. Fish. Aquat. Sci. 62: 1953-1962 (2005)
- Karatayev, Alexander Y., Burlakova, Lyubov E., Padilla, Dianna K. 1997. The effects of *Dreissena polymorpha* (Pallas) invasion on aquatic communities in eastern Europe. Journal of Shellfish Research. 16(1). 1997. 187-203.
- Karatayev, Alexander Y., Lyubov E. Burlakova, and Dianna K. Padilla., 2005. R.F. Dame and S. Olenin (eds.), *Contrasting Distribution and Impacts of Two Freshwater Exotic Suspension Feeders *Dreissena polymorpha* and *Corbicula fluminea*.*, 2005. The Comparative Roles of Suspension-Feeders in Ecosystems, 239-262.
- Kirk, James P. 2004. Ecosystem-level impacts of zebra mussels in Lake Winnebago, Wisconsin. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.
- Summary:** Effect of zebra mussels on fish communities in Lake Winnebago in Wisconsin
- Kobak, Jaroslav. 2004. Recruitment and small-scale spatial distribution of *Dreissena polymorpha* (Bivalvia) on artificial materials. Archiv fuer Hydrobiologie. 160(1). May 2004. 25-44.
- Kolar, Cynthia S., Fullerton, Aimee H., Martin, Kristine M., Lamberti, Gary A. 2002. Interactions among zebra mussel shells, invertebrate prey, and Eurasian ruffe or yellow perch. Journal of Great Lakes Research. 28(4). 2002. 664-673.
- Kuhns, Linda A. and Berg, Martin B. 1999. Benthic invertebrate community responses to round goby (*Neogobius melanostomus*) and zebra mussel (*Dreissena polymorpha*) invasion in southern Lake Michigan. Journal of Great Lakes Research. 25(4). 1999. 910-917.
- Lammens, Eddy H. R R., Van Nes, Egbert H., Meijer, Marie-Louise, Van den Berg, Marcel S. 2004. Effects of commercial fishery on the bream population and the expansion of *Chara aspera* in Lake Veluwe. Ecological Modelling. 177(3-4). October 1, 2004. 233-244.
- Lancioni, T. and Gaino, E. 2006. The invasive zebra mussel *Dreissena polymorpha* in Lake Trasimeno (Central Italy): Distribution and reproduction. Italian Journal of Zoology, December 2006; 73(4): 335-346.



- Lauer, Thomas E. and McComish, Thomas S. 2001. Impact of zebra mussels (*Dreissena polymorpha*) on fingernail clams (Sphaeriidae) in extreme southern Lake Michigan. *Journal of Great Lakes Research*. 27(2). 2001. 230-238.
- Lauer, Thomas E. and Spacie, Anne. 2004. Space as a limiting resource in freshwater systems: competition between zebra mussels (*Dreissena polymorpha*) and freshwater sponges (Porifera). *Hydrobiologia*. 517(1-3). April 2004. 137-145.
- Lavrentyev, Peter J., Gardner, Wayne S., Cavaletto, Joann F., Beaver, John R. 1995. Effects of the zebra mussel (*Dreissena polymorpha* Pallas) on protozoa and phytoplankton from Saginaw Bay, Lake Huron. *Journal of Great Lakes Research*. 21(4). 1995. 545-557.
- Lederer, Amanda, Massart, Jamie, Janssen, John. 2006. Impact of round gobies (*Neogobius melanostomus*) on dreissenids (*Dreissena polymorpha* and *Dreissena bugensis*) and the associated macroinvertebrate community across an invasion front. *Journal of Great Lakes Research*. 32(1). 2006. 1-10.
- Lederer, Amanda M., Janssen, John, Reed, Tara, Wolf, Amy. 2008. Impacts of the Introduced Round Goby (*Apollonia melanostoma*) on Dreissenids (*Dreissena polymorpha* and *Dreissena bugensis*) and on Macroinvertebrate Community between 2003 and 2006 in the Littoral Zone of Green Bay, Lake Michigan. *Journal of Great Lakes Research*. 34(4). DEC 2008. 690-697.
- Leung, Brian, Drake, John M., Lodge, David M. 2004. Predicting invasions: Propagule pressure and the gravity of allee effects. *Ecology* (Washington D C). 85(6). June 2004. 1651-1660.
- Lewandowski, Krzysztof, Ozimek, Teresa. 1997. Relationship of *Dreissena polymorpha* (Pall.) to various species of submerged macrophytes. *Polskie Archiwum Hydrobiologii*. 44(4). 1997. 457-466.
- Lohner, Rachel N., Sigler, Von, Mayer, Christine M., Balogh, Csilla. 2007. A comparison of the benthic bacterial communities within and surrounding Dreissena clusters in lakes. *Microbial Ecology*. 54(3). OCT 2007. 469-477.
- L vova, A. A. 2004. On invasion of *Dreissena bugensis* (Bivalvia, Dreissenidae) in the Ucha Reservoir (Moscow oblast) and the Moscow River. *Zoologicheskii Zhurnal*. 83(6). June 2004. 766-768.
- Macisaac, Hugh J. 1996. Potential abiotic and biotic impacts of zebra mussels on the inland waters of North America. *American Zoologist*. 36(3). 1996. 287-299.
- Macisaac, Hugh J., Lonnee, Christopher J., Leach, J. H. 1995. Suppression of microzooplankton by zebra mussels: Importance of mussel size. *Freshwater Biology*. 34(2). 1995. 379-387.
- Mackie, Gerald L. and Don W. Schloesser., 1996. Comparative Biology of Zebra Mussels in Europe and North America: An Overview. *AMER. ZOOL.*, 36:244-258 (1996)
- Mackie, G.L., 1991. Biology of the exotic zebra mussel, *Dreissena polymorpha*, in relation to native bivalves and its potential impact in Lake St. Clair. *Hydrobiologia* 219 : 251-268, 1991
- Mackie, G.L. and R. Claudi. 2009. Monitoring and control of macrofouling mollusc in freshwater systems, CRC Press, Boca Raton, FL. Chapter 10.1, pp. 371-386.
- Magoulick, Daniel D. and Lewis, Lindsey C. 2002. Predation on exotic zebra mussels by native fishes: Effects on predator and prey. *Freshwater Biology*. 47(10). October, 2002. 1908-1918.
- Maguire, Caitriona M. 2004. The impact of the zebra mussel invasion on phytoplankton, zooplankton and benthic macroinvertebrate communities in a large Irish lake. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.
- Summary:** Zebra mussels have affected the food webs existing in this habitat.
- Maguire, M. Caitriona and Jonathan Grey., 2006. Determination of zooplankton dietary shift following a zebra mussel invasion, as indicated by stable isotope analysis. *Freshwater Biology Volume 51 Page 1310 - July 2006*
- Marsden, J. Ellen and Robillard, Steven R. 2004. Decline of yellow perch in southwestern Lake Michigan, 1987-1997. *North American Journal of Fisheries Management*. 24(3). August 2004. 952-966.
- Mayer, C. M., Rudstam, L. G., Mills, E. L., Cardiff, S. G., Bloom, C. A. 2001. Zebra mussels (*Dreissena polymorpha*), habitat alteration, and yellow perch (*Perca flavescens*) foraging: System-wide effects and behavioural mechanisms. *Canadian Journal of Fisheries & Aquatic Sciences*. 58(12). Decembre, 2001. 2459-2467.
- Mayer, C. M., VanDeValk, A. J., Forney, J. L., Rudstam, L. G., Mills, E. L. 2000. Response of yellow perch (*Perca flavescens*) in Oneida Lake, New York, to the establishment of zebra mussels (*Dreissena polymorpha*). *Canadian Journal of Fisheries & Aquatic Sciences*. 57(4). April, 2000. 742-754.
- May, Gemma E., Gelembiuk, Gregory W., Panov, Vadim E., Orlova, Marina I., Lee, Carol Eunmi., 2006. Molecular ecology of zebra mussel invasions. *Molecular Ecology*. 15(4). APR 2006. 1021-1031.
- McCabe, Declan J. 2004. Effects of zebra mussels on habitat use and foraging success of juvenile lake sturgeon (*Acipenser fluvescens*): Implications for reintroduction efforts. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.
- Summary:** Effects of zebra mussel mats on the foraging success of juvenile lake sturgeon.
- McGregor, Stuart W. and Garner, Jeffrey T. 2004. Changes in the freshwater mussel (Bivalvia: Unionidae) fauna of the Bear Creek system of Northwest Alabama and Northeast Mississippi. *American Malacological Bulletin*. 18(1-2). May 7, 2004. 61-70.
- McMahon, Robert F. 1996. The physiological ecology of the zebra mussel, *Dreissena polymorpha*, in North America and Europe. *American Zoologist*. 36(3). 1996. 339-363.
- McNickle, Gordon G., Rennie, Michael D., Sprules, W. Gary., 2006. Changes in benthic invertebrate communities of South Bay, Lake Huron following invasion by zebra mussels (*Dreissena polymorpha*), and potential effects on lake whitefish (*Coregonus clupeaformis*) diet and growth. *Journal of Great Lakes Research*. 32(1). 2006. 180-193.
- Mercer, J. L., Fox, M. G., Metcalfe, C. D. 1999. Changes in benthos and three littoral zone fishes in a shallow, eutrophic Ontario lake following the invasion of the zebra mussel (*Dreissena polymorpha*). *Lake & Reservoir Management*. 15(4). Dec., 1999. 310-323.
- Mills, Edward L., Rosenberg, Gary, Spidle, Adrian P., Ludyanskiy, Michael, Pligin, Yuri, May, Bernie. 1996. A review of the biology and ecology of the quagga mussel (*Dreissena bugensis*), a second species of freshwater dreissenid introduced to North America. *American Zoologist*. 36(3). 1996. 271-286.
- Mills, E. L., J. R. Chrisman, B. Baldwin, R. W. Owens, R. O. Gorman, T. Howell, E. F. Roseman, and K. M. Raths. 1999. *Changes in the Dreissenid Community in the Lower Great Lakes with Emphasis on Southern Lake Ontario*. *Journal Great Lakes Res.* 25(1):187-197.

- Minchin, D., Lucy, F., Sullivan, M. 2005. Ireland: a new frontier for the zebra mussel *Dreissena polymorpha* (Pallas). *Oceanological and Hydrobiological Studies* Vol. XXXIV, (19-30).
- Mitchell, Jeremy S., Bailey, Robert C., Knapton, Richard W. 2000. Effects of predation by fish and wintering ducks on dreissenid mussels at Nanticoke, Lake Erie. *Ecoscience*. 7(4). 2000. 398-409.
- Mohr, Lloyd C. and Ebener, Mark P. 2005. Status of lake whitefish (*Coregonus clupeaformis*) in Lake Huron. Great Lakes Fishery Commission Technical Report.(66). MAR 05. 105-125.
- Molloy, D.P., Vaate, A., Wilke, T., Giamberini, L. 2007. Discovery of *Dreissena rostriformis bugensis* (Andrusov 1897) in Western Europe. *Biol Invasions* (2007) 9:871-874.
- Morpurgo, Massimo and Thaler, Bertha. 2002. Find of *Dreissena polymorpha* (Pallas) (Mollusca, Bivalvia) in the Lake of Monticolo (South Tyrol, Italy). *Gredleriana*. 2 2002. 219-222.
- Morrison, Todd W., Lynch, William E., Jr., Dabrowski, Konrad. 1997. Predation on zebra mussels by freshwater drum and yellow perch in western Lake Erie. *Journal of Great Lakes Research*. 23(2). 1997. 177-189.
- Muirhead, Jim R. and MacIsaac, Hugh J. 2004. Life-history variation and the spread of aquatic nonindigenous species across Ontario lakes. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.
- Summary:** Differences in life history may influence the spread of an invasive species. This assumption is tested by a comparison of two invasive species.
- Munawar, M., Munawar, I. F., Mandrak, N. E., Fitzpatrick, M., Dermott, R., Leach, J. 2005. An overview of the impact of non-indigenous species on the food web integrity of North American Great Lakes: Lake Erie example. *Aquatic Ecosystem Health & Management*. 8(4). DEC 2005. 375-395.
- Musko, Ilona B., Bako, Beata. 2005. The density and biomass of *Dreissena polymorpha* living on submerged macrophytes in Lake Balaton (Hungary). *Archiv fuer Hydrobiologie*. 162(2). FEB 05. 229-251.
- Nalepa, Thomas F., Fanslow, David L., Lang, Gregory A., 2009a. Transformation of the offshore benthic community in Lake Michigan: recent shift from the native amphipod *Diporeia* spp. to the invasive mussel *Dreissena rostriformis bugensis*. *Freshwater Biology*. 54(3). MAR 2009. 466-479.
- Nalepa, Thomas F., Harston, David J., Gostenik, Gerald W., Fanslow, David L., Lang, Gregory A. 1996. Changes in the freshwater mussel community of Lake St. Clair: From Unionidae to *Dreissena polymorpha* in eight years. *Journal of Great Lakes Research*. 22(2). 1996. 354-369.
- Nalepa, Thomas F., Pothoven, Steven A., Fanslow, David L., 2009b. Recent changes in benthic macroinvertebrate populations in Lake Huron and impact on the diet of lake whitefish (*Coregonus clupeaformis*). *Aquatic Ecosystem Health & Management*. 12(1). 2009. 2-10.
- Nalepa, Thomas F., Schloesser, Don W., Pothoven, Steve A., Hondorp, Darryl W., Fanslow, David L., Tuchman, Marc L., Fleischer, Guy W. 2001. First finding of the amphipod *Echinogammarus ischnus* and the mussel *Dreissena bugensis* in Lake Michigan. *Journal of Great Lakes Research*. 27(3). 2001. 384-391.
- Neves, Richard J. 1999. Conservation of North America's freshwater mussel fauna (Unionoidea) from the threat posed by the exotic zebra mussel (*Dreissena polymorpha*). *Malacological Review*.(Supplement 8). 1999. 107-118.
- Ng, Wing. 2004. Zebra mussel control at Darlington Nuclear generating station. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.
- Summary:** Paper discussing the effects of zebra mussel abundance increase.
- Nichols, S. Jerrine and Amberg, Jon. 1999. Co-existence of zebra mussels and freshwater unionids: Population dynamics of *Leptodea fragilis* in a coastal wetland infested with zebra mussels. *Canadian Journal of Zoology*. 77(3). March, 1999. 423-432.
- Nichols, Susan Jerrine. 1996. Variations in the reproductive cycle of *Dreissena polymorpha* in Europe, Russia, and North America. *American Zoologist*. 36(3). 1996. 311-325.
- Noonburg, Erik G., Shuter, Brian J., Abrams, Peter A. 2003. Indirect effects of zebra mussels (*Dreissena polymorpha*) on the planktonic food web. *Canadian Journal of Fisheries & Aquatic Sciences*. 60(11). November 2003. 1353-1368.
- Olenin, Sergej. 2005. Invasive aquatic species in the Baltic states. Coastal Research and Planning Institute, Klaipeda University.
- Orlova, Marina I. and Panov, Vadim E. 2004. Establishment of the zebra mussel, *Dreissena polymorpha* (Pallas), in the Neva Estuary (Gulf of Finland, Baltic Sea): distribution, population structure and possible impact on local unionid bivalves. *Hydrobiologia*. 514(1-3). February 15, 2004. 207-217.
- Orlova, Marina I., Telesh, Irena V., Berezina, Nadezhda A., Antsulevich, Alexander E., Maximov, Alexey A., Litvinchuk, Larissa F., 2006. Effects of nonindigenous species on diversity and community functioning in the eastern Gulf of Finland (Baltic Sea). *Helgoland Marine Research*. 60(2). MAY 2006. 98-105.
- Orlova, Marina I., Therriault, Thomas W., Antonov, Pavel I., Shcherbina, Gregory Kh., 2005. Invasion ecology of quagga mussels (*Dreissena rostriformis bugensis*): a review of evolutionary and phylogenetic impacts. *Aquatic Ecology*. 39(4). DEC 2005. 401-418.
- Orlova, M.I. 2009. Zebra and quagga mussels in the inland waters of European Russia and adjacent countries. In: Mackie, G.L. and R. Claudi. 2009. Monitoring and control of macrofouling mollusc in freshwater systems, CRC Press, Boca Raton, FL. Chapter 10.1, pp. 371-386.
- Orlova, M. I. and Shcherbina, G. Kh. 2002. On distribution of *Dreissena bugensis* (Dreissenidae, Bivalvia) in reservoirs of the Upper Volga River basin. *Zoologicheskii Zhurnal*. 81(5). May, 2002. 515-520.
- Orlova, M., S. Golubkov, L. Kalinina, N. Ignatieva., 2004. *Dreissena polymorpha* (Bivalvia: Dreissenidae) in the Neva Estuary (eastern Gulf of Finland, Baltic Sea): Is it a biofilter or source for pollution? *Marine Pollution Bulletin* 49 (2004) 196-205
- Owens, Randall W. and Dittman, Dawn E. 2003. Shifts in the diets of slimy sculpin (*Cottus cognatus*) and lake whitefish (*Coregonus clupeaformis*) in Lake Ontario following the collapse of the burrowing amphipod *Diporeia*. *Aquatic Ecosystem Health & Management*. 6(3). September 2003. 311-323.
- Pace, Michael L., Findlay, Stuart E. G., Fischer, David. 1998. Effects of an invasive bivalve on the zooplankton community of the Hudson River. *Freshwater Biology*. 39(1). Feb., 1998. 103-116.
- Padilla, Dianna K., 2005. The potential of zebra mussels as a model for invasion ecology. *American Malacological Bulletin*. 20(1-2). APR 27 2005. 123-131.



# GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: *Dreissena bugensis*

- Palau, Antoni. 2004. Zebra mussel distribution in Riba-roja Reservoir (NE Spain) and first results on population control possibilities. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.
- Summary:** Report into research being conducted in Spain aimed at a control method for zebra mussels.
- Palmer, M. E. and Ricciardi, Anthony. 2005. Community interactions affecting the relative abundances of native and invasive amphipods in the St. Lawrence River. *Canadian Journal of Fisheries & Aquatic Sciences*. 62(5). MAY 05. 1111-1118.
- Parker, Bruce C., Patterson, Matthew A., Neves, Richard J. 1998. Feeding interactions between native freshwater mussels (Bivalvia: Unionidae) and zebra mussels (*Dreissena polymorpha*) in the Ohio River. *American Malacological Bulletin*. 14(2). 1998. 173-179.
- Patterson, Matthew W. R., Ciborowski, Jan J. H., Barton, David R., 2002. The distribution and abundance of *Dreissena* species (Dreissenidae) in Lake Erie, 2002. *Journal of Great Lakes Research*. 31(Suppl. 2). 2005. 223-237.
- Peribanez, Miguel A., Elrio, Maria L., Gracia, Maria J., de Luco, Daniel Fernandez, Castillo, Juan A., Lucientes, Javier, Cia, Imanol., 2006. *Phyllodistomum folium* (Trematoda : Gorgoderidae) infecting zebra mussels (*Dreissena polymorpha*) in the Ebro River, Spain. *Parasitology International*. 55(2). JUN 2006. 143-145.
- Perry, William L., Lodge, David M., Lamberti, Gary A. 1997. Impact of crayfish predation on exotic zebra mussels and native invertebrates in a lake-outlet stream. *Canadian Journal of Fisheries & Aquatic Sciences*. 54(1). 1997. 120-125.
- Petrie, Scott A. and Knapton, Richard W. 1999. Rapid increase and subsequent decline of zebra and quagga mussels in Long Point Bay, Lake Erie: Possible influence of waterfowl predation. *Journal of Great Lakes Research*. 25(4). 1999. 772-782.
- Pigg, Jimmie, Gibbs, Robert, Cottam, Geron. 1997. An outbreak of zebra mussel, *Dreissena polymorpha* (Pallas), in Oklahoma waters. *Proceedings of the Oklahoma Academy of Science*. 77(0). 1997. 124.
- Pillsbury, Robert W., Lowe, Rex L., Pan, Yang Dong, Greenwood, Jennifer L. 2002. Changes in the benthic algal community and nutrient limitation in Saginaw Bay, Lake Huron, during the invasion of the zebra mussel (*Dreissena polymorpha*). *Journal of the North American Benthological Society*. 21(2). June, 2002. 238-252.
- Pires, L. M. Dionisio, Karlsson, K. M., Meriluoto, J. A. O., Kardinaal, E., Visser, P. M., Siewertsen, K., Van Donk, E., Ibelings, B. W. 2004. Assimilation and depuration of microcystin-LR by the zebra mussel, *Dreissena polymorpha*. *Aquatic Toxicology (Amsterdam)*. 69(4). September 20, 2004. 385-396.
- Piscart, Christophe, Moreteau, Jean-Claude, Beisel, Jean-Nicolas. 2006. Biodiversity and structure of macroinvertebrate communities along a small permanent salinity gradient (Meurthe River, France). *Hydrobiologia*. 551 NOV 15 2005. 227-236.
- Raikow, David F. 2004. Food web interactions between larval bluegill (*Lepomis macrochirus*) and exotic zebra mussels (*Dreissena polymorpha*). *Canadian Journal of Fisheries & Aquatic Sciences*. 61(3). March 2004. 497-504.
- Raikow, David F., Sarnelle, Orlando, Wilson, Alan E., Hamilton, Stephen K. 2004. Dominance of the noxious cyanobacterium *Microcystis aeruginosa* in low-nutrient lakes is associated with exotic zebra mussels. *Limnology & Oceanography*. 49(2). March 2004. 482-487.
- Ram, Jeffrey L., Shukla, Vipul, King, Keyona N. 2004. Zebra mussels at the freshwater/sea interface: Ionic and osmotic challenges to oocyte integrity. *Invertebrate Reproduction & Development*. 45(1). March 2004. 83-89.
- Ratti, Claudia and Barton, David R. 2003. Decline in the diversity of benthic invertebrates in the wave-zone of eastern Lake Erie, 1974-2001. *Journal of Great Lakes Research*. 29(4). 2003. 608-615.
- Ray, William J. and Corkum, Lynda D. 1997. Predation of zebra mussels by round gobies, *Neogobius melanostomus*. *Environmental Biology of Fishes*. 50(3). 1997. 267-273.
- Reed-Andersen, Tara, Carpenter, Stephen R., Padilla, Dianna K., Lathrop, Richard C. 2000. Predicted impact of zebra mussel (*Dreissena polymorpha*) invasion on water clarity in Lake Mendota. *Canadian Journal of Fisheries & Aquatic Sciences*. 57(8). August, 2000. 1617-1626.
- Reed, Tara, Wielgus, Sarah J., Barnes, Alyssa K., Schiefelbein, Jeremiah J., Fettes, Amy L. 2004. Refugia and local controls: Benthic invertebrate dynamics in Lower Green Bay, Lake Michigan following zebra mussel invasion. *Journal of Great Lakes Research*. 30(3). 2004. 390-396.
- Rennie, Michael D., Sprules, W. Gary, Johnson, Timothy B. 2009. Resource switching in fish following a major food web disruption. *Oecologia (Berlin)*. 159(4). APR 2009. 789-802.
- Reynolds, J. D. and Donohoe, R. 2001. Crayfish predation experiments on the introduced zebra mussel, *Dreissena polymorpha*, in Ireland, and their potential for biocontrol. *Bulletin Francais de la Peche et de la Pisciculture*.(361). 2001. 669-681.
- Ricciardi, A. and J.B. Rasmussen. F.G. Whoriskey., 1995a. Predicting the intensity and impact of *Dreissena* infestation on native unionid bivalves from *Dreissena* field density. *Can. J. Fish. Aquat. Sci.* 52: 1449-1461 (1995).
- Ricciardi, Anthony. 2003. Predicting the impacts of an introduced species from its invasion history: An empirical approach applied to zebra mussel invasions. *Freshwater Biology*. 48(6). June 2003. 972-981.
- Ricciardi, Anthony and Rasmussen, Joseph B. 1998. Predicting the identity and impact of future biological invaders: A priority for aquatic resource management. *Canadian Journal of Fisheries & Aquatic Sciences*. 55(7). July, 1998. 1759-1765.
- Ricciardi, Anthony and Whoriskey, Fred G. 2004. Exotic species replacement: shifting dominance of dreissenid mussels in the Soulanges Canal, upper St. Lawrence River, Canada. *Journal of the North American Benthological Society*. 23(3). September 2004. 507-514.
- Ricciardi, Anthony, Neves, Richard J., Rasmussen, Joseph B. 1998. Impending extinctions of North American freshwater mussels (Unionoida) following the zebra mussel (*Dreissena polymorpha*) invasion. *Journal of Animal Ecology*. 67(4). July, 1998. 613-619.
- Ricciardi, A., Whoriskey, F. G., Rasmussen, J. B. 1996. Impact of the *Dreissena* invasion on native unionid bivalves in the upper St. Lawrence River. *Canadian Journal of Fisheries & Aquatic Sciences*. 53(6). 1996. 1434-1444.
- Ricciardi, A., Whoriskey, Fred G., Rasmussen, Joseph B. 1997. The role of the zebra mussel (*Dreissena polymorpha*) in structuring macroinvertebrate communities on hard substrata. *Canadian Journal of Fisheries & Aquatic Sciences*. 54(11). Nov., 1997. 2596-2608.
- Richardson, William B. and Bartsch, Lynn A. 1997. Effects of zebra mussels on food webs: Interactions with juvenile bluegill and water residence time. *Hydrobiologia*. 354(0). Sept. 26, 1997. 141-150.
- [Richerson, M., and E. Maynard. 2004. \*Dreissena bugensis\* Andrusov 1897. NAS - Nonindigenous Aquatic Species.](#)
- Summary:** Available from: <http://nas.er.usgs.gov/queries/FactSheet.asp?SpeciesID=95> [Accessed 02 December 2005]
- Rockwell, David C., Glenn J. Warren, Paul E. Bertram, Douglas K. Salisbury, and Noel M. Burns., 2005. The US EPA Lake Erie indicators monitoring program 1983 - 2002: trends in phosphorus, silica and chlorophyll a in the central basin. *Great Lakes Res.* 31(Suppl. 2):23-34 Internat. Assoc. Great Lakes Res., 2005



- Rosell, R. S., Maguire, C. M., McCarthy, T. K. 1998. First reported settlement of Zebra mussels *Dreissena polymorpha* in the Erne system, Co. Fermanagh, Northern Ireland. *Biology & Environment*. 98B(3). Dec., 1998. 191-193.
- Ross, R. Kenyon, Petrie, Scott A., Badzinski, Shannon S., Mullie, Adele. 2005. Autumn diet of greater scaup, lesser scaup, and long-tailed ducks on eastern Lake Ontario prior to zebra mussel invasion. *Wildlife Society Bulletin*. 33(1). SPR 05. 81-91.
- Sarnelle, Orlando, Wilson, Alan E., Hamilton, Stephen K., Knoll, Lesley B., Raikow, David F. 2005. Complex interactions between the zebra mussel, *Dreissena polymorpha*, and the harmful phytoplankton, *Microcystis aeruginosa*. *Limnology & Oceanography*. 50(3). MAY 05. 896-904.
- Schloesser, Don W. and Masteller, Edwin C. 1999. Mortality of unionid bivalves (Mollusca) associated with dreissenid mussels (*Dreissena polymorpha* and *D. bugensis*) in Presque Isle Bay, Lake Erie. *Northeastern Naturalist*. 6(4). Nov. 30, 1999. 341-352.
- Schloesser, Don W., Metcalfe-Smith, Janice L., Kovalak, William P., Longton, Gary D., Smithee, Rick D., 2006. Extirpation of freshwater mussels (Bivalvia : Unionidae) following the invasion of dreissenid mussels in an interconnecting river of the Laurentian Great Lakes. *American Midland Naturalist*. 155(2). APR 2006. 307-320.
- Schloesser, Don W., Nalepa, Thomas F., Mackie, Gerald L. 1996. Zebra mussel infestation of unionid bivalves (Unionidae) in North America. *American Zoologist*. 36(3). 1996. 300-310.
- Schloesser, Don W., Stickle, Richard G., Bridgeman, Thomas B., 2005. Potential oxygen demand of sediments from Lake Erie. *Journal of Great Lakes Research*. 31(Suppl. 2). 2005. 272-283
- Schloesser, D. W., Kovalak, W. P., Longton, G. D., Ohnesorg, K. L., Smithee, R. D. 1998. Impact of zebra and quagga mussels (*Dreissena* spp.) on freshwater unionids (Bivalvia: Unionidae) in the Detroit River of the Great Lakes. *American Midland Naturalist*. 140(2). Oct., 1998. 299-313.
- Schloesser, D.W., T. Nalepa and G. L. Mackie. 1996. Review of the impacts of the zebra mussel on Unionidae in North America. *American Zoologist* 36: 300-310.
- Schoessler, D. W., and E. C. Masteller. 1999. *Mortality of unionid bivalves Mollusca associated with dreissenid mussels*. *Northeastern Naturalist* 6(4):341.
- Schummer, Michael L., Petrie, Scott A., Bailey, Robert C. 2008. Dietary overlap of sympatric diving ducks during winter on northeastern Lake Ontario. *Auk*. 125(2). APR 2008. 425-433.
- Sietman, Bernard E., Anderson, Edward A., Nyboer, Randy, Hutto, Franklin R. 2005. Native freshwater mussels (Bivalvia: Unionidae) and infestation by zebra mussels at the Lost Mound Unit of the Upper Mississippi River National Wildlife and Fish Refuge. *Transactions of the Illinois State Academy of Science*. 97(3-4). 05. 235-254.
- Smith, Douglas G. 1999. Differences in siphonal anatomy between *Dreissena polymorpha* and *D. bugensis* (Mollusca: Dreissenidae) in Lake Ontario. *American Midland Naturalist*. 141(2). April, 1999. 402-405.
- Smith, Thomas E., R Jan Stevenson, Nina F.Caraco and Jonathan J.Cole., 1998. Changes in phytoplankton community structure during the zebra mussel (*Dreissena polymorpha*) invasion of the Hudson River (New York). *Journal of Plankton Research* Vol.20 no.8 pp.1567-1579, 1998
- Snyder, Fred L. 2004. Aquatic invasive species impacts upon the Lake Erie sport fishery. In Abstracts: 13th International Conference on Aquatic Invasive Species, September 20-24, 2004. Lynch West County Hotel, Ennis, County Clare, Ireland.
- Summary:** Report into the effects of invasive species invasions in Lake Erie.
- Son, Mikhail O., 2007. Native range of the zebra mussel and quagga mussel and new data on their invasions within the Ponto-Caspian Region. *Aquatic Invasions* (2007) Volume 2, Issue 3: 174-184
- Son, M. O. 2007. Invasive mollusks (Mollusca, Bivalvia, Gastropoda) in the Danube delta. *Vestnik Zoologii*. 41(3). May-June 2007. 213-218.
- Spidle, A. P. J. E. Marsden, and B. May. 1994. *Identification of the Great Lakes Quagga Mussel as Dreissena bugensis from the Dnieper River, Ukraine, on the Basis of Allozyme Variation*. *Can. J. Fish. Aquat. Sci.*, Vol. 51, 1994.
- Stanczykowska, Anna. 1997. Review of studies on *Dreissena polymorpha* (Pall.). *Polskie Archiwum Hydrobiologii*. 44(4). 1997. 401-415.
- Stewart, Timothy W., Miner, Jeffrey G., Lowe, Rex L. 1999. A field experiment to determine Dreissena and predator effects on zoobenthos in a nearshore, rocky habitat of western Lake Erie. *Journal of the North American Benthological Society*. 18(4). Dec., 1999. 488-498.
- Stoeckmann, Ann. 2003. Physiological energetics of Lake Erie dreissenid mussels: a basis for the displacement of *Dreissena polymorpha* by *Dreissena bugensis*. *Canadian Journal of Fisheries & Aquatic Sciences*. 60(2). February 2003. 126-134.
- Stokstad E. 2007. Feared quagga mussel turns up in western United States. *Science* 315: 453.
- Strayer, David L. 1999. Effects of alien species on freshwater mollusks in North America. *Journal of the North American Benthological Society*. 18(1). March, 1999. 74-98.
- Strayer, David L. and Heather M. Malcom., 2007a. Effects of zebra mussels (*Dreissena polymorpha*) on native bivalves: the beginning of the end or the end of the beginning? *J. N. Am. Benthol. Soc.*, 2007, 26(1):111-122
- Strayer, David L. and Heather M. Malcom., 2007b. Shell decay rates of native and alien freshwater bivalves and implications for habitat engineering. *Freshwater Biology* (2007) 52, 1611-1617
- Strayer, David L., Powell, Jon, Ambrose, Peter, Smith, Lane C., Pace, Michael L., Fischer, David T. 1996. Arrival, spread, and early dynamics of a zebra mussel (*Dreissena polymorpha*) population in the Hudson River estuary. *Canadian Journal of Fisheries & Aquatic Sciences*. 53(5). 1996. 1143-1149.
- Strayer, David L., Smith, Lane C. 1996. Relationships between zebra mussels (*Dreissena polymorpha*) and unionid clams during the early stages of the zebra mussel invasion of the Hudson River. *Freshwater Biology*. 36(3). 1996. 771-779.
- Strayer, David L., Smith, Lane C., Hunter, Dean C. 1998. Effects of the zebra mussel (*Dreissena polymorpha*) invasion on the macrobenthos of the freshwater tidal Hudson River. *Canadian Journal of Zoology*. 76(3). March, 1998. 419-425.
- Sures, Bernd, Steiner, Werner, Rydlo, Manfred, Taraschewski, Horst. 1999. Concentrations of 17 elements in the zebra mussel (*Dreissena polymorpha*), in different tissues of perch (*Perca fluviatilis*), and in perch intestinal parasites (*Acanthocephalus lucii*) from the subalpine lake Mondsee, Austria. *Environmental Toxicology & Chemistry*. 18(11). Nov., 1999. 2574-2579.
- Swierczynski, Marek. 1997. Occurrence of *Dreissena polymorpha* (Pall.) in lakes Miedwie and Insko. *Polskie Archiwum Hydrobiologii*. 44(4). 1997. 487-503.



- Thayer, Sarah A., Haas, Robert C., Hunter, R. Douglas, Kushler, Robert H. 1997. Zebra mussel (*Dreissena polymorpha*) effects on sediment, other zoobenthos, and the diet and growth of adult yellow perch (*Perca flavescens*) in pond enclosures. *Canadian Journal of Fisheries & Aquatic Sciences*. 54(8). 1997. 1903-1915.
- Therriault, T. W., M. I Orlova, M. F Docker, H. J MacIsaac and D. D Heath., 2005. Invasion genetics of a freshwater mussel (*Dreissena rostriformis bugensis*) in eastern Europe: high gene flow and multiple introductions. *Heredity* (2005) 95, 16-23
- Thorp, H. James; James E. Alexander Jr. and Gary A. Cobbs., 2002a. Coping with warmer, large rivers: a field experiment on potential range expansion of northern quagga mussels (*Dreissena bugensis*). *Freshwater Biology* (2002) 47, 1779-1790
- Thorp, James H., Casper, Andrew F. 2002b. Potential effects on zooplankton from species shifts in planktivorous mussels: A field experiment in the St Lawrence River. *Freshwater Biology*. 47(1). January, 2002. 107-119.
- Tucker, John K., Cronin, Frederick A., Soergel, Dirk W., Theiling, Charles H. 1996. Predation of zebra mussels (*Dreissena polymorpha*) by common carp (*Cyprinus carpio*). *Journal of Freshwater Ecology*. 11(3). 1996. 363-372.
- Vanderploeg, H. A., T. F. Nalepa, D. J. Jude, E. L. Mills, K. T. Holeck, J. R. Liebig, I. A. Grigorovich, and H. Ojaveer. 2002. *Dispersal and emerging ecological impacts of Ponto-Caspian species in the Laurentian Great Lakes*. *Canadian Journal of Fisheries and Aquatic Sciences* 59(7):1209.
- van der Velde, G. and Platvoet, D. 2007. Quagga mussels *Dreissena rostriformis bugensis* (Andrusov, 1897) in the Main River (Germany). *Aquatic Invasions* (2007) Volume 2, Issue 3: 261-264.
- Vidal, Maeva, Hamilton, Paul B., Pick, Frances R. 2004. Zebra mussel (*Dreissena polymorpha*) veliger larvae: distribution and relationship to phytoplankton biomass and composition in the Rideau River, Ontario, Canada. *Archiv fuer Hydrobiologie*. 161(1). September 2004. 113-131
- Wacker, Alexander and Von Elert, Eric. 2003. Settlement pattern of the zebra mussel, *Dreissena polymorpha*, as a function of depth in Lake Constance. *Archiv fuer Hydrobiologie*. 158(3). November 2003. 289-301.
- Walton, William C. 1996. Occurrence of zebra mussel (*Dreissena polymorpha*) in the oligohaline Hudson River, New York. *Estuaries*. 19(3). 1996. 612-618.
- Ward, Jessica M. and Ricciardi, Anthony. 2007. Impacts of *Dreissena* invasions on benthic macroinvertebrate communities: a meta-analysis. *Diversity & Distributions*. 13(2). MAR 2007. 155-165.
- Watkins, James M., Dermott, Ronald, Lozano, Stephen J., Mills, Edward L., Rudstam, Lars G., Scharold, Jill V. 2007. Evidence for remote effects of dreissenid mussels on the amphipod *Diporeia*: analysis of Lake Ontario Benthic Surveys, 1972-2003. *Journal of Great Lakes Research*. 33(3). SEP 2007. 642-657.
- Watzin, M. C., Joppe-Mercure, K., Rowder, J., Lancaster, B., Bronson, L., 2008. Significant fish predation on zebra mussels *Dreissena polymorpha* in Lake Champlain, U.S.A. *Journal of Fish Biology*. 73(7). NOV 2008. 1585-1599.
- Wawrzyniak-Wydrowska and Brygida, Gruszka, Piotr. 2005. Population dynamics of alien gammarid species in the River Odra estuary. *Hydrobiologia*. 539 MAY 1 2005. 13-25.
- Wege, Gary J., 2005. Saving the Higgins eye pearlymussel (*Lampsilis higginsii*) from extinction: 2002 Status report on the accomplishments of the mussel coordination team. *Journal of the Iowa Academy of Science*. 112(3-4). JUL-DEC 2005. 52-61.
- Werner, Stefan., Martin Mortl, Hans Gunther Bauer and Karl-Otto Rothhaupt., 2005. Strong impact of wintering waterbirds on zebra mussel (*Dreissena polymorpha*) populations at Lake Constance, Germany. *Freshwater Biology* (2005) 50, 1412-1426
- Wilson, A. B., Nalsh, K.-A., Boulding, E. G. 1999. Multiple dispersal strategies of the invasive quagga mussel (*Dreissena bugensis*) as revealed by microsatellite analysis. *Canadian Journal of Fisheries & Aquatic Sciences*. 56(12). Dec., 1999. 2248-2261.
- Wilson, Alan E. 2003. Effects of zebra mussels on phytoplankton and ciliates: A field mesocosm experiment. *Journal of Plankton Research*. 25(8). August 2003. 905-915.
- Wilson, Karen A., Howell, E. Todd, Jackson, Donald A., 2006. Replacement of zebra mussels by quagga mussels in the Canadian nearshore of Lake Ontario: The importance of substrate, round goby abundance, and upwelling frequency. *Journal of Great Lakes Research*. 32(1). 2006. 11-28.
- Winkler, Gesche, Sirois, Pascal, Johnson, Ladd E., Dodson, Julian J. 2005. Invasion of an estuarine transition zone by *Dreissena polymorpha* veligers had no detectable effect on zooplankton community structure. *Canadian Journal of Fisheries & Aquatic Sciences*. 62(3). MAR 05. 578-592.
- Wong, Wai Hing, Levinton, Jeffery S., 2005. Consumption rates of two rotifer species by zebra mussels *Dreissena polymorpha*. *Marine and freshwater behaviour and physiology*. 38(3). SEP 2005. 149-157.
- Wright, D. A., E. M. Setzler, J. A. Magee, V. S. Kennedy, and S. P. McIninch. 1996. *Effect of salinity and temperature on survival and development of young zebra (Dreissena polymorpha) and quagga (Dreissena bugensis) mussels*. *Estuaries* 19(3):619-628.
- Yu, Neng and Culver, David A. 2000. Can zebra mussels change stratification patterns in a small reservoir?. *Hydrobiologia*. 431(2). 25 July, 2000. 175-184.
- Zaiko, Anastasija, Daunys, Darius, Olenin, Sergej., 2009. Habitat engineering by the invasive zebra mussel *Dreissena polymorpha* (Pallas) in a boreal coastal lagoon: impact on biodiversity. *Helgolander Marine Research*. 63(1). MAR 2009. 85-94.
- Zanatta, David T., Mackie, Gerald L., Metcalfe-Smith, Janice L., Woolnough, Daelyn A. 2002. A refuge for native freshwater mussels (Bivalvia: Unionidae) from impacts of the exotic zebra mussel (*Dreissena polymorpha*) in Lake St. Clair. *Journal of Great Lakes Research*. 28(3). 2002. 479-489.
- Zhu, B., Fitzgerald, D. G., Mayer, C. M., Rudstam, L. G., Mills, E. L., 2006. Alteration of ecosystem function by zebra mussels in Oneida Lake: Impacts on submerged macrophytes. *Ecosystems*. 9(6). SEP 2006. 1017-1028.
- Zhulidov, Alexander V., Zhulidov, Daniel A., Pavlov, Dmitriy F., Nalepa, Thomas F., Gurtovaya, Tatyana Yu., 2005. Expansion of the invasive bivalve mollusk *Dreissena bugensis* (quagga mussel) in the Don and Volga River Basins: Revisions based on archived specimens. *Ecology Hydrology & Hydrobiology*. 5(2). 2005. 127-133
- Zhulidov, A. V., D. A. Zhulidov, D. F. Pavlov, T. F. Nalepa, and T. Y. Gurtovaya. 2005. *Expansion of the invasive bivalve mollusk Dreissena bugensis (quagga mussel) in the Don and Volga River Basins: Revisions based on archived specimens*. *Ecology Hydrology & Hydrobiology* 5(2):127-133.
- Zhulidov, A. V., Nalepa, T. F., Kozhara, A. V., Zhulidov, D. A., Gurtovaya, T. Yu., 2006. Recent trends in relative abundance of two dreissenid species, *Dreissena polymorpha* and *Dreissena bugensis* in the lower Don River system, Russia. *Archiv fuer Hydrobiologie*. 165(2). FEB 2006. 209-220.